





EXTREME WEATHER RATING

High-tech aluminium alloy frame, certified for high snow (5400 Pa) and wind loads (4000 Pa).



A RELIABLE INVESTMENT

Inclusive 12-year product warranty and 25-year linear performance warranty².



STATE OF THE ART MODULE TECHNOLOGY

Q.ANTUM DUO combines cutting edge cell separation and innovative wiring with Q.ANTUM Technology.

- ¹ APT test conditions according to IEC/TS 62804-1:2015, method B (-1500 V, 168h)
- ² See data sheet on rear for further information.

THE IDEAL SOLUTION FOR:




Rooftop arrays on residential buildings





Ground-mounted solar power plants





ELECTRICAL CHARACTERISTICS

PO	VER CLASS			340	345	350	355
MIN	IIMUM PERFORMANCE AT STANDA	RD TEST CONDITIO	NS, STC1 (PO\	WER TOLERANCE +5 W /	-0W)		
	Power at MPP¹	P _{MPP}	[W]	340	345	350	355
_	Short Circuit Current ¹	I _{sc}	[A]	10.68	10.73	10.79	10.84
mum	Open Circuit Voltage ¹	V _{oc}	[V]	40.24	40.49	40.73	40.98
Mini	Current at MPP	I _{MPP}	[A]	10.16	10.22	10.27	10.33
_	Voltage at MPP	V_{MPP}	[V]	33.45	33.76	34.07	34.38
	Efficiency ¹	η	[%]	≥19.0	≥19.3	≥19.5	≥19.8
MIN	IIMUM PERFORMANCE AT NORMAL	OPERATING CONE	DITIONS, NMC)T ²			
	Power at MPP	P _{MPP}	[W]	254.5	258.2	261.9	265.7
E	Short Circuit Current	I _{sc}	[A]	8.60	8.65	8.69	8.74
nj.	Open Circuit Voltage	V _{oc}	[V]	37.94	38.17	38.41	38.65
⋈	Current at MPP	I _{MPP}	[A]	8.00	8.04	8.09	8.13
	Voltage at MPP	V _{MPP}	[V]	31.81	32.10	32.40	32.69

¹Measurement tolerances P_{MPP} ±3%; I_{SC}; V_{DC} ±5% at STC: 1000 W/m², 25±2°C, AM 1.5 according to IEC 60904-3 • ²800 W/m², NMOT, spectrum AM 1.5


Q CELLS PERFORMANCE WARRANTY

Standard terms of guerantee for the 10 PV companies Standard terms of guerantee for the 10 PV companies Standard terms of guerantee for the 10 PV companies VEARS

At least 98 % of nominal power during first year. Thereafter max. 0.54 % degradation per year. At least 93.1% of nominal power up to 10 years. At least 85% of nominal power up to 25 years.

All data within measurement tolerances. Full warranties in accordance with the warranty terms of the Q CELLS sales organisation of your respective country.

PERFORMANCE AT LOW IRRADIANCE



Typical module performance under low irradiance conditions in comparison to STC conditions (25 °C, 1000 W/m²).

TEMPERATURE COEFFICIENTS							
Temperature Coefficient of I _{SC}	α	[%/K]	+0.04	Temperature Coefficient of Voc	β	[%/K]	-0.27
Temperature Coefficient of P _{MPP}	γ	[%/K]	-0.36	Nominal Module Operating Temperature	NMOT	[°C]	43±3

PROPERTIES FOR SYSTEM DESIGN

Maximum System Voltage	$V_{\scriptsize SYS}$	[V]	1000 (IEC)/1000 (UL)	PV module classification	Class II
Maximum Reverse Current	I_R	[A]	20	Fire Rating based on ANSI/UL 1703	C/TYPE 2
Max. Design Load, Push / Pull		[Pa]	3600/2667	Permitted Module Temperature	-40°C - +85°C
Max. Test Load, Push / Pull		[Pa]	5400/4000	on Continuous Duty	

QUALIFICATIONS AND CERTIFICATES

PACKAGING INFORMATION

VDE Quality Tested, IEC 61215:2016; IEC 61730:2016; This data sheet complies with DIN EN 50380.







Number of Modules per Pallet	32
Number of Pallets per Trailer (24t)	28
Number of Pallets per 40' HC-Container (26t)	26
Pallet Dimensions (L × W × H)	1791 × 1130 × 1200 mm
Pallet Weight	681kg

Note: Installation instructions must be followed. See the installation and operating manual or contact our technical service department for further information on approved installation and use of this product.

Hanwha Q CELLS GmbH

 $Sonnenallee 17-21, 06766 \ Bitterfeld-Wolfen, Germany \ | \ \textbf{TEL} + 49 \ (0)3494 \ 66 \ 99-23444 \ | \ \textbf{FAX} + 49 \ (0)3494 \ 66 \ 99-23000 \ | \ \textbf{EMAIL} \ sales@q-cells.com \ | \ \textbf{WEB} \ www.q-cells.com \ | \ \textbf{WeB} \ ww.q-cells.com \ | \ \textbf{WeB} \ www.q-cells.com \ | \ \textbf{WeB} \ ww.q-cells.com \ | \ \textbf{WeB$

