



# JIGSAWS

## Jigsaws HSS + HSS-E

Rounded forefront (blunt form) cutting on the pull stroke – holes 2 x 8.5 mm - 1 x 4.5 mm

length	width	thick-ness	g/pc	HSS			HSS-E		
				Ref.	Standard Tothing Teeth per Inch	Euro/ Piece	Ref.	Standard Tothing Teeth per Inch	Euro/ Piece
200	25	1.50	60	G.HSS-ST.200-25N	12 14 16 24	10.50	G.HSSE-ST.200-25N	16	14.20
200	28	1.50	67	G.HSS-ST.200-28N		11.00	G.HSSE-ST.200-28N	16	14.85
250	25	1.50	75	G.HSS-ST.250-25N	14	11.50	G.HSSE-ST.250-25N	16	15.55
250	28	1.50	84	G.HSS-ST.200-28N		12.00	G.HSSE-ST.200-28N		16.20
300	25	1.50	90	G.HSS-ST.300-25N	4 6 12 14 16	12.30	G.HSSE-ST.300-25N		16.60
300	25	2.00	120	G.HSS-ST.300-25.1N		13.00	G.HSSE-ST.300-25.1N		17.55
300	28	1.50	101	G.HSS-ST.300-28N	12 14 16	13.50	G.HSSE-ST.300-28N		18.25
300	28	2.00	134	G.HSS-ST.300-28.1N	6 8 14	15.00	G.HSSE-ST.300-28.1N		20.25
350	25	1.50	105	G.HSS-ST.350-25N		15.00	G.HSSE-ST.350-25N	16	20.25
400	25	1.50	120	G.HSS-ST.400-25N	8 12 14 16	15.50	G.HSSE-ST.400-25N	16	20.95
400	28	1.50	134	G.HSS-ST.400-28N	6 8 14 16	16.00	G.HSSE-ST.400-28N		21.60
400	28	2.00	179	G.HSS-ST.400-28.1N	6 8 14	20.00	G.HSSE-ST.400-28.1N		27.00
500	25	1.50	150	G.HSS-ST.500-25N	12 14	19.00	G.HSSE-ST.500-25N		25.65
500	28	1.50	168	G.HSS-ST.500-28N	14	21.50	G.HSSE-ST.500-28N		29.00
500	28	2.00	224	G.HSS-ST.500-28.1N	6 8 10 14	25.50	G.HSSE-ST.500-28.1N	14 16	34.45
530	28	1.50	178	G.HSS-ST.530-28N	12 14	21.00	G.HSSE-ST.530-28N	12	28.35
600	25	1.50	180	G.HSS-ST.600-25N	14	23.00	G.HSSE-ST.600-25N		31.05
600	25	2.00	240	G.HSS-ST.600-25.1N	14	28.50	G.HSSE-ST.600-25.1N		31.50
600	28	2.00	269	G.HSS-ST.600-28N	6 8 14	31.00	G.HSS-ST.600-28N		41.85
700	28	2.00	314	G.HSS-ST.700-28N	6 8 14 16	36.00	G.HSS-ST.700-28N		48.60
770	28	2.00	345	G.HSS-ST.770-28N	8 12 14 16	40.00	G.HSS-ST.770-28N	12 16	54.00
940	28	2.00	421	G.HSS-ST.940-28N	12	50.00	G.HSS-ST.940-28N		57.50

## Jigsaws for BOSCH®

Ref.	Ref. no. Bosch / B&D	material	length (mm)	width (mm)	thickness (mm)	pitch (mm)	tpi	Euro/ Piece
G.HC12	T101B	HCS	100	7.8	1.45	2.5	10	4.04
G.HC12K	T101AO	HCS	76.5	4.7	1.25	1.35	18	3.60
G.HC12R	T101BR	HCS	76.5	4.7	1.25	1.35	18	4.04
G.HC14	T101D	HCS	100	7.8	1.45	4.0	6	4.04
G.HC32	T101BR	HCS	132	7.8	1.45	2.5	10	5.90
G.HC33	T301CD	HCS	132	7.8	1.45	2.5	10	5.90
G.HC34	T301DL	HCS	132	7.8	1.45	4.0	6	5.90
G.HC123	T234X	HCS	100	7.8	1.45	2.5	10	5.04
G.HG13	T111C	HCS	100	9.8	1.45	3.0	8	2.65
G.HW12K	T119BO	HCS	76	5	1.0	2.0	22	2.35
G.HGS14	T144D	HCS	100	7.8	1.27	4.0	6	2.98
G.HGS24	T244D	HCS	100	6.5	1.27	4.0	6	3.50
G.HGS34	T344D	HCS	132	7.8	1.27	4.0	6	5.42
G.K14	T127D	HSS	100	7.8	1.0	3.0	8	4.13
G.K14bi	T127DF	Bi-Metal	100	7.8	1.0	3.0	8	5.32
G.D1	T130Riff	HM	80	8.8	0.8	Granulat		13.25
G.MG11	T118A	HSS	76.5	7.8	1.0	1.2	20	3.82
G.MG11BI	T118AF	Bi-Metal	76.5	7.8	1.0	1.2	20	4.95
G.MG12	T118B	HSS	76.5	7.8	1.0	2	12.5	3.82
G.MG12BI	T118BF	Bi-Metal	76.5	7.8	1.0	2	12.5	4.95
G.MG31BI	T318AF	Bi-Metal	132	9.8	1.0	1.2	20	7.89

# SABRE SAW BLADES

**SSN**

Standard size sabre saw blades; size: 19 x 0.9 mm 3/4 inch x 0.035 inch



High quality blades made from HSS-Bi-metal steel.

Flexible and rigid for fast cuts and long tool life.

Standard size for most applications.

Ref.	Length mm - Inch	Weight g	Standard tooth profile	Variable	Euro/piece
H.SSN 070	70 - 2 3/4"	10	18		3.48
H.SSN 100	100 - 4"	14	14 18 24		3.93
H.SSN 150	150 - 6"	20	4 6 10 14 18 24		4.69
H.SSNV 150	150 - 6"	20		10 - 14	4.92
H.SSN 200	200 - 8"	28	4 6 10 14 18 24		5.45
H.SSNV 200	200 - 8"	28		10 - 14	5.72
H.SSN 228	228 - 9"	31	10 14 18 24		5.87
H.SSNV 228	228 - 9"	31		10 - 14	6.16
H.SSN 250	250 - 10"	34	10 14		6.20
H.SSNV 250	250 - 10"	34		10 - 14	6.51
H.SSN 280	280 - 11"	38	4 6 10 14 18 24		6.66
H.SSNV 280	280 - 11"	38		10 - 14	6.99

Available as neutral bulk packed or branded in plastic packs.

## JIG SAW BLADES FOR PNEUMATIC MACHINES

Shank Suitable for the following machines:  
Fein, Spitznas, Premag, Rocwell

**TEETH PITCH**      **DIMENSIONS L2 x L1**      **QUALITY**      **APPLICATIONS**

### BODYWORK CONSTRUCTION

Ref. RHS151110



Blister 5 uds.:

Ref. RHS171108



Blister 5 uds.:

Ref. RHS171110



Blister 5 uds.:

### COMMON APPLICATIONS

Ref. RHS161110



Plastic pouch 5ud.:

Ref. RHS161110-300

FEIN 63503063007



Plastic pouch 1 ud.:

Ref. RHS161110-400

FEIN 63503064005



Plastic pouch 1 ud.:

Ref. RHS161110-500



Plastic pouch 1 ud.: