

ESPELHOS INSPEÇÃO COM ARTICULAÇÃO

A-2 Inspection mirror

Round mirror Ø 22 mm with metal mirror back. Length 190 mm. 360° adjustable on double all-angle ball joint. Chrome shaft with plastic grip and pocket clip. Available as spare part:

A-2-HD Clear glass mirror head with metal back.



B-2 Inspection mirror

Oval mirror 26x50 mm with metal mirror back. Length 220 mm. 360° adjustable on double all-angle ball joint. Chrome shaft with plastic grip and pocket clip. Available as spare part:

B-2-HD Clear glass mirror head with metal back.

B-2-R Clear glass mirror head without metal back.



C-2 Inspection mirror

Round mirror Ø 56 mm with metal mirror back. Telescopic length 254-375 mm. 360° adjustable on double all-angle ball joint.

Chrome shaft with plastic grip. Available as spare part:

C-2-HD Clear glass mirror head with metal back.



E-2 Inspection mirror

Round mirror Ø 32 mm with metal mirror back. Length 200 mm. 360° adjustable on double all-angle ball joint. Chrome shaft with plastic grip and pocket clip. Available as spare part:

E-2-HD Clear glass mirror head with metal back.



K-2 Inspection mirror

Rectangular mirror 52x87 mm with metal mirror back. Telescopic length 285-400 mm. 360° adjustable on double all-angle ball joint.

Chrome shaft with plastic grip. Available as spare part:

K-2-HD Clear glass mirror head with metal back.

K-2-R Clear glass mirror head with metal back.



S-2 Inspection mirror

Round mirror Ø 81 mm with metal mirror back. Telescopic length 280-395 mm. 360° adjustable on double all-angle ball joint.

Chrome shaft with plastic grip. Available as spare part:

S-2-HD Clear glass mirror head with metal back.



ESPELHOS RECTANGULAR MONTADO EM BASE MAGNETICA

MX Inspection mirror

Rectangular mirror 52x87 mm with metal mirror back. Mounted on very strong magnetic base. 360° adjustable on ball joint. Chrome shaft. The mirror firmly holds any desired position. Handy for looking at the back of objects or at an angle. Spare parts: **K-2-HD** or **K-2-R**.



ESPELHOS INSPEÇÃO FLEXIVEL COM ARTICULAÇÃO E PUNHO ANTIDESLIZANTE

HTC-2-FL Inspection mirror with flexible shaft

Round mirror Ø 56 mm with metal mirror back. Length 810 mm. 360° adjustable on double all-angle ball joint. Stainless steel flexible shaft with non slip grip. Flexible shaft holds any position that it is bent in. Available as spare part:

C-2-HD Clear glass mirror head with metal back.



ESPELHOS INSPECÇÃO LONGOS COM ARTICULAÇÃO

B-2-L Long inspection mirror

Oval mirror 26x50 mm with metal mirror back. Length 375 mm. 360° adjustable on double all-angle ball joint. Chrome shaft with plastic grip and pocket clip. Available as spare part:

B-2-HD Clear glass mirror head with metal back.

B-2-R Clear glass mirror head without metal back.



C-2-L Long inspection mirror

Round mirror Ø 56 mm with metal mirror back. Telescopic length 400-667 mm. 360° adjustable on double all-angle ball joint.

Chrome shaft with plastic grip. Available as spare part:

C-2-HD Clear glass mirror head with metal back.



K-2-L Long inspection mirror

Rectangular mirror 52x87 mm with metal mirror back. Telescopic length 435-690 mm. 360° adjustable on double all-angle ball joint. Chrome shaft with plastic grip. Available as spare part:

K-2-HD Clear glass mirror head with metal back.

K-2-R Clear glass mirror head without metal back.



S-2-L Long inspection mirror

Round mirror Ø 81 mm with metal mirror back. Telescopic length 430-695 mm. 360° adjustable on double all-angle ball joint.

Chrome shaft with plastic grip. Available as spare part:

S-2-HD Clear glass mirror head with metal back.



ESPELHOS INSPECÇÃO COM ARTICULAÇÃO E AMPLIAÇÃO

A-2-M Magnifying inspection mirror

Round mirror Ø 22 mm with metal mirror back. Length 190 mm. 360° adjustable on double all-angle ball joint. Chrome shaft with plastic grip and pocket clip. Available as spare part:

A-2-MHD Magnifying clear glass mirror head with metal back.



C-2-M Magnifying inspection mirror

Round mirror Ø 56 mm with metal mirror back. Telescopic length 254-375 mm. 360° adjustable on double all-angle ball joint.

Chrome shaft with plastic grip. Available as spare part:

C-2-MHD Magnifying clear glass mirror head with metal back.



E-2-M Magnifying inspection mirror

Round mirror Ø 32 mm with metal mirror back. Length 200 mm. 360° adjustable on double all-angle ball joint. Chrome shaft with plastic grip and pocket clip. Available as spare part:

E-2-MHD Magnifying clear glass mirror head with metal back.



K-2-M Magnifying inspection mirror

Rectangular mirror 52x87 mm with metal mirror back. Telescopic length 285-400 mm. 360° adjustable on double all-angle ball joint. Chrome shaft with plastic grip. Available as spare part:

K-2-MHD Magnifying clear glass mirror head with metal back.



ESPELHOS INSPECÇÃO LONGOS COM ARTICULAÇÃO E AMPLIAÇÃO

C-2-ML Magnifying long inspection mirror

Round mirror Ø 56 mm with metal mirror back. Telescopic length 400-667 mm. 360° adjustable on double all-angle ball joint. Chrome shaft with plastic grip. Available as spare part:

C-2-MHD Magnifying clear glass mirror head with metal back.



HTC-2-LM Magnifying long inspection mirror

Round mirror Ø 56 mm with metal mirror back. Telescopic length 305-1300 mm. 360° adjustable on double all-angle ball joint. Stainless steel shaft with non slip grip. Available as spare part:

C-2-MHD Magnifying clear glass mirror head with metal back.



K-2-ML Magnifying long inspection mirror

Rectangular mirror 52x87 mm with metal mirror back. Telescopic length 435-690 mm. 360° adjustable on double all-angle ball joint. Chrome shaft with plastic grip. Available as spare part:

K-2-MHD Magnifying clear glass mirror head with metal back.



ESPELHOS TELESCÓPICOS INSPECÇÃO COM ARTICULAÇÃO

A-2-T Telescopic inspection mirror

Round mirror Ø 22 mm with metal mirror back. Telescopic length 155-475 mm. 360° adjustable on double all-angle ball joint.

Chrome shaft and pocket clip. Available as spare part:

A-2-HD Clear glass mirror head with metal back.




B-2-T Telescopic inspection mirror

Oval mirror 26x50 mm with metal mirror back. Telescopic length 185-505 mm. 360° adjustable on double all-angle ball joint.

Chrome shaft and pocket clip. Available as spare part:

B-2-HD Clear glass mirror head with metal back.

B-2-R Clear glass mirror head without metal back.



E-2-T Telescopic inspection mirror

Round mirror Ø 32 mm with metal mirror back. Telescopic length 165-485 mm. 360° adjustable on double all-angle ball joint.

Chrome shaft and pocket clip. Available as spare part:

E-2-HD Clear glass mirror head with metal back.



ESPELHOS TELESCÓPICOS INSPECÇÃO COM ARTICULAÇÃO E PUNHO ANTIDESLIZANTE

HTA-2-T Telescopic inspection mirror

Round mirror Ø 22 mm with metal mirror back. Telescopic length 180-690 mm. 360° adjustable on double all-angle ball joint.

Chrome shaft with non slip grip and pocket clip. Spare part:

A-2-HD Clear glass mirror head with metal back.



HTB-2-T Telescopic inspection mirror

Oval mirror 26x50 mm with metal mirror back. Telescopic length 210-720 mm. 360° adjustable on double all-angle ball joint.

Chrome steel shaft with non slip grip and pocket clip. Spare part:

B-2-HD Clear glass mirror head with metal back.

B-2-R Clear glass mirror head without metal back.



HTC-2 Telescopic inspection mirror

Round mirror Ø 56 mm with metal mirror back. Telescopic length 245-920 mm. 360° adjustable on double all-angle ball joint.

Stainless steel shaft with non slip grip. Available as spare part:

C-2-HD Clear glass mirror head with metal back.



HTE-2 Telescopic inspection mirror

Round mirror Ø 32 mm with metal mirror back. Telescopic length 210-885 mm. 360° adjustable on double all-angle ball joint.

Stainless steel shaft with non slip grip. Available as spare part:

E-2-HD Clear glass mirror head with metal back.



HTE-2-T Telescopic inspection mirror

Round mirror Ø 32 mm with metal mirror back. Telescopic length 190-695 mm. 360° adjustable on double all-angle ball joint.

Chrome shaft with non slip grip and pocket clip. Spare part:

E-2-HD Clear glass mirror head with metal back.



HTS-2 Telescopic inspection mirror

Round mirror Ø 81 mm with metal mirror back. Telescopic length 265-740 mm. 360° adjustable on double all-angle ball joint.

Stainless steel shaft with non slip grip. Available as spare part:

S-2-HD Clear glass mirror head with metal back.



HTS-2-L Telescopic inspection mirror

Round mirror Ø 81 mm with metal mirror back. Telescopic length 305-1330 mm. 360° adjustable on double all-angle ball joint.

Stainless steel shaft with non slip grip. Available as spare part:

S-2-HD Clear glass mirror head with metal back.



ESPELHOS TELESCÓPICOS INSPEÇÃO COM ARTICULAÇÃO E IMAN

A-2-TM Telescopic inspection mirror with magnet
 Round mirror Ø 22 mm with metal mirror back. Telescopic length 185-420 mm. 360° adjustable on double all-angle ball joint. Chrome shaft, magnet and pocket clip. Available as spare part:
A-2-HD Clear glass mirror head with metal back.



B-2-TM Telescopic inspection mirror with magnet
 Oval mirror 26x50 mm with metal mirror back. Telescopic length 212-530 mm. 360° adjustable on double all-angle ball joint. Chrome shaft, magnet and pocket clip. Available as spare part:
B-2-HD Clear glass mirror head with metal back.
B-2-R Clear glass mirror head without metal back.



E-2-TM Telescopic inspection mirror with magnet
 Round mirror Ø 32 mm with metal mirror back. Telescopic length 193-515 mm. 360° adjustable on double all-angle ball joint. Chrome shaft, magnet and pocket clip. Available as spare part:
E-2-HD Clear glass mirror head with metal back.



ESPELHOS TELESCÓPICOS INSPEÇÃO ILUMINAÇÃO LED ARTICULAÇÃO PUNHO ANTIDESLIZANTE

HTC-2-LT Telescopic LED inspection mirror
 LED light on top of mirror. Round mirror Ø 56 mm with metal mirror back. Telescopic length 170-940 mm. 360° adjustable on double all-angle ball joint. Stainless steel shaft with non slip grip. Available as spare part:
HTC-2-HD Clear glass mirror head with metal back.



HTE-2-LT Telescopic LED inspection mirror
 LED light on top of mirror. Round mirror Ø 32 mm with metal mirror back. Telescopic length 200-900 mm. 360° adjustable on double all-angle ball joint. Stainless steel shaft with non slip grip. Available as spare part:
HTE-2-HD Clear glass mirror head with metal back.




HTK-2-LT Telescopic LED inspection mirror
 With 3 rotating LED's on top of mirror. Rectangular mirror 52x87 mm with metal mirror back. Telescopic length 170-760 mm. 360° adjustable on double all-angle ball joint. Stainless steel shaft with non slip grip. The three rotating LED lights can be adjusted to the required angle to illuminate dark, hard to see areas. Available as spare part:
HTK-2-HD Clear glass mirror head with metal back.



HTS-2-LT Telescopic LED inspection mirror
 LED light on top of mirror. Round mirror Ø 81 mm with metal mirror back. Telescopic length 170-940 mm. 360° adjustable on double all-angle ball joint. Stainless steel shaft with non slip grip. Available as spare part:
HTS-2-HD Clear glass mirror head with metal back.



COD	L mm	Mirror Size	Angle	Material	Qty
65585	550	3,5 x 2"	45°	Plástico / Plastic	6
65586	650	Ø 2"	65°	Plástico / Plastic	6
65587	502	Ø 1,25"	55°	Pen clip	6



TAMBEM DISPONIVEL ACESSORIOS PARA SUBSTITUIÇÃO