





**TESOURA TIPO BERLIN – CORTE FRONTAL**



- Cutting edges induction hardened
- Temper of cutting-edges 56-58° HRC
- With screw-joint
- Tool steel, drop-forged, oil-hardened

Artikel-Nr. Art. No.	mm	mm	g	Typ Type	SL mm	BS mm	ES mm	
060-12	225	9	440		55	1,2	1,0	6
060-12	250	9.3/4	480		60	1,5	1,0	6
060-12	300	11.3/4	740		80	1,8	1,2	6


**TESOURA CHAPA P/ CORTE FRONTAL e RAIOS MENORES DIREITA /ESQUERDA**



- For short, straight and figure cuts, small radius
- Cutting edges induction hardened
- Temper of cutting-edges 57-59° HRC
- With screw-joint
- Tool steel, drop-forged, oil-hardened

Artikel-Nr. Art. No.	mm	mm	g	Typ Type	SL mm	BS mm	ES mm	
061L-12	250	9.3/4	460		42	1,5	1,0	6
061R-12	250	9.3/4	460		42	1,5	1,0	6


**TESOURA CHAPA P/ CORTE FRONTAL E RAIOS MAIORES DIREITA /ESQUERDA**



- For short, straight and figure cuts, large radius
- Cutting edges induction hardened
- Temper of cutting-edges 57-59° HRC
- With screw-joint
- Tool steel, drop-forged, oil-hardened

Artikel-Nr. Art. No.	mm	mm	g	Typ Type	SL mm	BS mm	ES mm	
062L-12	250	9.3/4	540		42	1,5	1,0	6
062L-12	300	11.3/4	640		50	1,8	1,2	6
062R-12	250	9.3/4	540		42	1,5	1,0	6
062R-12	300	11.3/4	640		50	1,8	1,2	6


**TESOURA CHAPA P/ CORTE FRONTAL E CONTORNOS DIREITA /ESQUERDA**



- For straight continuous and figure cuts
- Cutting edges induction hardened
- Temper of cutting-edges 57-59° HRC
- With screw-joint
- Tool steel, drop-forged, oil-hardened

Artikel-Nr. Art. No.	mm	mm	g	Typ Type	SL mm	BS mm	ES mm	
063L-12	260	10.1/4	530		35	1,5	1,0	6
063R-12	260	10.1/4	530		35	1,5	1,0	6


**TESOURA CHAPA BICO PELICANO P/ CORTE FRONTAL**



- Especially for long, straight and continuous cuts
- Cutting edges induction hardened
- Temper of cutting-edges 57-59° HRC
- With screw-joint
- Tool steel, drop-forged, oil-hardened

Artikel-Nr. Art. No.	mm	mm	g	Typ Type	SL mm	BS mm	ES mm	
070-12	300	11.3/4	795		60	1,8	1,2	6
070-12	350	13.3/4	855		60	2,0	1,4	6


**TESOURA CHAPA TIPO AMERICANO P/ CORTE FRONTAL**



- For long, straight cuts
- Cutting edges induction hardened
- Temper of cutting-edges 57-59° HRC
- With screw-joint
- Quality steel, drop-forged, oil-hardened

Artikel-Nr. Art. No.	mm	mm	g	Typ Type	SL mm	BS mm	ES mm	
077-12	200	7.3/4	410		42	1,3	0,8	6
077-12	250	9.3/4	450		57	1,5	1,0	6
077-12	300	11.3/4	490		70	1,8	1,2	6

**TESOURA CHAPA P/ CORTE FRONTAL LONGO**



- For long, straight cuts
- Cutting edges induction hardened
- Temper of cutting-edges 57-59° HRC
- With screw-joint
- Quality steel, drop-forged, oil-hardened

Artikel-Nr. Art. No.	mm	mm	g	Typ Type	SL mm	BS mm	ES mm	
078-12	200	7.3/4	450		50	1,3	0,8	6
078-12	250	9.3/4	480		60	1,5	1,0	6
078-12	300	11.3/4	510		75	1,8	1,2	6

**TESOURA CHAPA P/CONTORNOS**



- The universal tool for all companies working with tin
- Very easy working
- No deformation of surface
- For round and square cuts with perfect cutting edges without any burr
- Cuts tins of any kind up to 1,2 mm as well as aluminum, plastic, copper up to 2,0 mm

Artikel-Nr. Art. No.	mm	mm	g	Typ Type	SL mm	BS mm	ES mm	
064-15	260	10.1/4	40			1,2	-	6
064-M			5					1

Spare knife

**TESOURA CHAPA P/ CORTE FRONTAL E RAIOS MAIORES DIREITA /ESQUERDA COM LAMINA RASA**



- For short, straight and figure cuts, large radius
- Micro serrated cutting edges prevents slipping off while cutting • Cut without any burr
- Temper of cutting edges 60-62° HRC
- With screw-joint and leverage
- Spring, self-openend (with lock)
- Heads hand-forged and refined

Artikel-Nr. Art. No.	mm	mm	g	Typ Type	SL mm	BS mm	ES mm	
066L-15	250	9.3/4	515		30	1,8	1,2	6
066R-15	250	9.3/4	515		30	1,8	1,2	6

**TESOURA CHAPA P/ CORTE FRONTAL E RAIOS MENORES DIREITA /ESQUERDA**



- For short, straight and figure cuts, small radius
- Micro serrated cutting edges prevents slipping off while cutting • Cut without any burr
- Temper of cutting edges 60-62° HRC
- With screw-joint and leverage
- Spring, self-opening (with lock)
- Heads hand-forged and refined

Artikel-Nr. Art. No.	mm	mm	g	Typ Type	SL mm	BS mm	ES mm	
067L-15	250	9.3/4	455		35	1,8	1,2	6
067R-15	250	9.3/4	455		35	1,8	1,2	6

**TESOURAS DE ALFAIATE**

Dressmaker scissors  
carbon steel c 50- nickel-plated-varnished handle

- > immersion varnish handle
- > hardness of the salt tempered blades 52-56hrc
- > nickel plate 6-10 macron
- > nut and locknut thread 6mm diameter



Art.	Length mm	Weight gr		EAN
3607NV07	180	160	6	8033116544849
3607NV08	205	220	6	8033116544856
3607NV09	230	250	6	8033116544863
3607NV10	255	300	6	8033116544870
3607NV11	280	500	6	8033116544887
3607NV12	300	550	6	8033116544894

**TESOURAS DE COSTURA**

Dressmaker scissors carbon steel c 50- nickel-plated suitable for cutting medium light cloth thanks to one fine tip blade and another robust rounded one

- > inside blades are rounded using different passages until the moment of getting a polished finish to guarantee a smooth working
- > diversified rings allow comfortable and cosiest handle



Art.	Length mm	Weight gr		EAN
223560	155	120	12	8033116544610
223570	180	150	12	8033116544634
223580	205	170	12	8033116544658



### Goldschmiede-Schere *Jewellers' Snips*

Artikel Article	◀▶	◀▶	↺		⚖	📦	EAN-Code 40 03758	Euro
0750-12-180	180	7	35	<b>With straight cutting edge</b>	115	6	07527 2	10,10
0751-12-180	180	7	35	<b>With curved cutting edge</b>	110	6	07510 4	10,20



### Goldschmiede-Schere *Jewellers' Snips*

Artikel Article	◀▶	◀▶	↺		⚖	📦	EAN-Code 40 03758	Euro
0752-12-180	180	7	35	<b>With straight cutting edge</b>	130	6	07520 3	10,30
0753-12-180	180	7	35	<b>With curved cutting edge</b>	140	6	07530 2	10,80



### Goldschmiede-Schere *Jewellers' Snips*

Artikel Article	◀▶	◀▶	↺		⚖	📦	EAN-Code 40 03758	Euro
0754-12-180	180	7	35	<b>With straight cutting edge</b>	95	6	07540 1	11,10
0755-12-180	180	7	35	<b>With curved cutting edge</b>	95	6	07550 0	10,80

### Kabelschere *Cable Scissors*

Artikel Article	◀▶	◀▶	🔌	↺		⚖	📦	EAN-Code 40 03758	Euro
0400-160	160	6 1/4	🔌	20	125	6	04000 3	14,90	
0400-160-SB	160	6 1/4	🔌	20	125	6	64000 5	15,90	



### Kombischere *Combination Scissors*

Artikel Article	◀▶	◀▶	🔌	↺		⚖	📦	EAN-Code 40 03758	Euro
0401-140	140	5 1/2	🔌	30	65	6	04010 2	10,90	
0401-140-SB	140	5 1/2	🔌	30	65	6	64010 4	11,90	
0401-190	190	7 1/2	🔌	43	115	6	04011 9	13,90	
0401-190-SB	190	7 1/2	🔌	43	115	6	64011 1	14,90	



### Kombischere *Combination Scissors*

Artikel Article	◀▶	◀▶	🔌	↺		⚖	📦	EAN-Code 40 03758	Euro
0402-185	185	7 1/4	🔌	43	125	6	04020 1	14,90	
0402-185-SB	185	7 1/4	🔌	43	125	6	64023 4	15,90	



### Telefon- und Kabelschere *Telephone and Cable Scissors*

Artikel Article	◀▶	◀▶	↺		⚖	📦	EAN-Code 40 03758	Euro
0405-125	125	5	45		80	6	04050 8	8,90
0405-125-SB	125	5	45		80	6	64053 1	9,90
0406-125	125	5	43		80	6	04060 7	9,90
0406-125-SB	125	5	43		80	6	64063 0	10,90



### Telefon- und Kabelschere *Telephone and Cable Scissors*



Artikel Article	◀▶	◀▶	↺		⚖	📦	EAN-Code 40 03758	Euro
0407-140	140	5 1/2	50		125	6	04070 6	11,90
0407-140-SB	140	5 1/2	50		125	6	64070 8	12,90
0408-140	140	5 1/2	40		110	6	04080 5	12,40
0408-140-SB	140	5 1/2	40		110	6	64080 7	13,40



### Telefon- und Kabelschere *Telephone and Cable Scissors*

Artikel Article	◀▶	◀▶	↺		⚖	📦	EAN-Code 40 03758	Euro
0409-140	140	5 1/2	43		70	6	04090 4	17,20
0409-140-SB	140	5 1/2	43		70	6	64090 6	18,20



TESOURAS FORTE			TESOURA CHAPA P/CONTORNOS		
					
mm	Ref.		mm	Ref.	
250	01040	FRONTAL	250	01350	ESQUERDA
250	01011	ESQUERDA	250	01360	DIREITA
<b>OUTRAS TESOURAS – FAVOR CONSULAR</b>					