



# Series Kraftform Micro

The refined screwdriver for electronics technicians

## 2035 Screwdriver for slotted screws for electronic applications



**Application:** Slotted screws  
**Blade:** Round  
**Design:** Chrome-plated, Black Point  
**Handle:** Kraftform Micro with non-roll feature and rotating cap, multi-component

	mm	mm	mm	mm	mm	mm	mm
05117990001	0,16	0,8	40	97	2,0	1/32"	1 9/16"
05117991001	0,18	1,0	40	97	2,0	0,04"	1 9/16"
05117992001	0,20	1,2	40	97	2,0	0,05"	1 9/16"
05118002001	0,23	1,5	40	97	2,0	1/16"	1 9/16"
05118003001	0,23	1,5	60	97	2,0	1/16"	2 3/8"
05118000001	0,25	1,2	40	97	2,0	0,05"	1 9/16"
05117993001	0,30	1,8	40	97	2,0	0,07"	1 9/16"
05118004001	0,30	1,8	60	97	2,0	0,07"	2 3/8"
05117997001	0,35	2,5	40	97	2,0	0,07"	1 9/16"
05118017001	0,30	2,0	50	97	2,0	0,07"	2"
05118005001	0,40	2,0	40	97	2,5	5/64"	1 9/16"
05118006001	0,40	2,0	60	97	2,5	5/64"	2 3/8"
05118007001	0,40	2,0	100	97	2,5	5/64"	4"
05117994001	0,40	2,5	50	97	2,5	3/32"	2"
05118008001	0,40	2,5	80	97	2,5	3/32"	3 1/8"
05117995001	0,50	3,0	50	97	3,0	1/8"	2"
05118010001	0,50	3,0	80	97	3,0	1/8"	3 1/8"
05118012001	0,60	3,5	80	97	4,0	9/64"	3 1/8"
05118014001	0,80	4,0	80	97	4,0	5/32"	3 1/8"

## 2055 PZ Screwdriver for Pozidriv screws for electronic applications



**Application:** Suitable for Pozidriv screws  
**Blade:** Round  
**Design:** Chrome-plated, Black Point  
**Handle:** Kraftform Micro with non-roll feature and rotating cap, multi-component

	mm	mm	mm	mm	mm
05118030001	PZ 0	60	97	3,0	2 3/8"
05118032001	PZ 1	80	97	4,0	3 1/16"

## 2050 PH Screwdriver for Phillips screws for electronic applications



**Application:** Phillips screws  
**Blade:** Round  
**Design:** Chrome-plated, Black Point  
**Handle:** Kraftform Micro with non-roll feature and rotating cap, multi-component

	mm	mm	mm	mm	mm
05345290001 <sup>1) 2)</sup>	PH 000	40	97	1,5/2,5	1 9/16"
05118019001 <sup>1) 2)</sup>	PH 00	40	97	1,8/2,5	1 9/16"
05118020001 <sup>1)</sup>	PH 00	60	97	2,5	2 3/8"
05118026001 <sup>2)</sup>	PH 0	40	97	3,0	1 9/16"
05118022001 <sup>2)</sup>	PH 0	60	97	3,0	2 3/8"
05118023001	PH 1	60	97	4,0	2 3/8"
05118024001	PH 1	80	97	4,0	3 1/8"

<sup>1)</sup> Optimised for Asian PH screws

<sup>2)</sup> Size 0 modified according to JCIS 0 (Japanese Camera Industrial Standard)

<sup>3)</sup> On the output side, the blade is turned to a nominal length of 10 mm.

## 2067 TORX® HF screwdriver with holding function for electronic applications



**Application:** TORX® socket screws  
**Blade:** Round  
**Design:** Holding function for TORX® screws made according to Acument Global Technologies Inc. specifications, chrome-plated, Black Point  
**Handle:** Kraftform Micro with non-roll feature and rotating cap, multi-component

	mm	mm	mm	mm	
05118180001	TX 4	40	97	2,5	1 9/16"
05118181001	TX 5	40	97	3,0	1 9/16"
05118182001	TX 6	40	97	3,0	1 9/16"
05118183001	TX 7	60	97	3,0	2 3/8"
05118184001	TX 8	60	97	3,0	2 3/8"
05118185001	TX 9	60	97	4,0	2 3/8"
05118186001	TX 10	60	97	4,0	2 3/8"

## Series Kraftform Micro

The refined screwdriver for electronics technicians

### 2067 TORX® screwdriver for TORX® screws for electronic applications



**Application:** TORX® socket screws  
**Blade:** Round  
**Design:** Chrome-plated, Black Point  
**Handle:** Kraftform Micro with non-roll feature and rotating cap, multi-component

	⊕	mm	mm	mm	mm
05118035001	TX 1	40	97	2.0	1 1/16"
05118036001	TX 2	40	97	2.0	1 1/16"
05118037001	TX 3	40	97	2.0	1 1/16"
05118039001	TX 4	40	97	2.5	1 9/16"
05118040001	TX 5	40	97	3.0	1 1/8"
05118042001	TX 6	40	97	3.0	1 1/8"

### 2067 TORX® B0 screwdriver for tamper-proof TORX® screws for electronic applications



**Application:** TORX® socket screws with safety pin (B0 = with bore hole)  
**Blade:** Round  
**Design:** Bore hole in TORX® section, chrome-plated, Black Point  
**Handle:** Kraftform Micro with non-roll feature and rotating cap, multi-component

	⊕	mm	mm	mm	mm
05118044001	TX 7	60	97	3.0	1 1/8"
05118046001	TX 8	60	97	3.0	2 3/16"
05118048001	TX 9	60	97	4.0	2 3/8"
05118050001	TX 10	60	97	4.0	2 3/8"
05118052001	TX 15	60	97	4.0	2 3/8"
05118054001	TX 20	60	97	4.0	2 3/8"



How can I hold my TORX® screw securely on the screwdriver?



The electronic TORX® screwdriver with holding function (HF) literally presses the screw onto the screwdriver. The conical driving flanks that taper toward the tip of the tool, the optimised flank base and the ideal engage depth hold the screw securely on the blade.

How to perform precision screwdriving jobs quickly whilst still applying the required degree of force?



The Kraftform Micro, with its three zones and their specific arrangement, satisfies these requirements perfectly. The free-turning cap that provides support for the hand works with these advantages, enabling quick and easy precision work.

### 2067 IPR TORX PLUS® screwdriver for electronic applications



**Application:** TORX PLUS® IPR socket screws  
**Blade:** Round  
**Design:** Chrome-plated, Black Point  
**Handle:** Kraftform Micro with non-roll feature and rotating cap, multi-component

	⊕	mm	mm	mm	mm
05030160001	1 IPR	44	97	2.0	1 1/16"

### 2054 Screwdriver for hexagon socket screws for electronic applications



**Application:** Hexagon socket screws  
**Blade:** Round  
**Design:** Hex-Plus, chrome-plated, Black Point  
**Handle:** Kraftform Micro with non-roll feature and rotating cap, multi-component

	⊕	mm	mm	mm	mm
05118060001	0,7	40	97	3.0	1 1/8"
05118062001	0,9	40	97	3.0	1 1/8"
05118064001	1,3	40	97	3.0	1 1/8"
05118066001	1,5	60	97	3.0	2 3/8"
05118068001	2	60	97	3.0	2 3/8"
05118070001	2,5	60	97	4.0	2 3/8"
05118072001	3,0	60	97	4.0	2 3/8"
05345284001	- 0,028"	40	97	3.0	1 1/8"
05345285001	- 0,035"	40	97	3.0	1 1/8"
05118074001	- 0,05"	40	97	3.0	1 1/8"
05118076001	- 1/16"	60	97	3.0	2 3/8"
05118078001	- 1/8"	60	97	3.0	2 3/8"
05118080001	- 3/16"	60	97	4.0	2 3/8"
05118082001	- 1/4"	60	97	4.0	2 3/8"
05118075001	- 1/8"	60	97	4.0	2 3/8"

### 2052 Ball end hexagon screwdriver for electronic applications



**Application:** Hexagon socket screws  
**Blade:** Round  
**Design:** Hexagon ball end, chrome-plated, Black Point  
**Handle:** Kraftform Micro with non-roll feature and rotating cap, multi-component

	⊕	mm	mm	mm	mm
05118089001	1,3	60	97	3.0	2 3/8"
05118090001	1,5	60	97	3.0	2 3/8"
05118092001	2,0	60	97	3.0	2 3/8"
05118094001	2,5	60	97	4.0	2 3/8"
05118096001	3,0	60	97	4.0	2 3/8"
05118098001	- 1/16"	60	97	3.0	2 3/8"
05118100001	- 1/8"	60	97	3.0	2 3/8"
05118102001	- 3/16"	60	97	3.0	2 3/8"
05118106001	- 1/4"	60	97	4.0	2 3/8"
05118103001	- 1/8"	60	97	4.0	2 3/8"

### 2072 Kraftform Micro screwdriver for Microstix® screws



**Application:** Microstix® socket screws  
**Blade:** Round  
**Design:** Chrome-plated, Black Point  
**Handle:** Kraftform Micro with non-roll feature and rotating cap, multi-component

	⊕	mm	mm	mm	mm
05118145001	m	40	97	2.5	1 1/8"

## Series Kraftform Micro

The refined screwdriver for electronics technicians

### 2067 IPR TORX PLUS® screwdriver for electronic applications



**Application:** TORX PLUS® IPR socket screws  
**Blade:** Round  
**Design:** Chrome-plated, Black Point  
**Handle:** Kraftform Micro with non-roll feature and rotating cap, multi-component

	⊕	mm	mm	mm	mm
05030160001	1 IPR	44	97	2.0	1 1/16"

### 2054 Screwdriver for hexagon socket screws for electronic applications



**Application:** Hexagon socket screws  
**Blade:** Round  
**Design:** Hex-Plus, chrome-plated, Black Point  
**Handle:** Kraftform Micro with non-roll feature and rotating cap, multi-component

	⊕	mm	mm	mm	mm
05118060001	0,7	40	97	3.0	1 1/8"
05118062001	0,9	40	97	3.0	1 1/8"
05118064001	1,3	40	97	3.0	1 1/8"
05118066001	1,5	60	97	3.0	2 3/8"
05118068001	2	60	97	3.0	2 3/8"
05118070001	2,5	60	97	4.0	2 3/8"
05118072001	3,0	60	97	4.0	2 3/8"
05345284001	- 0,028"	40	97	3.0	1 1/8"
05345285001	- 0,035"	40	97	3.0	1 1/8"
05118074001	- 0,05"	40	97	3.0	1 1/8"
05118076001	- 1/16"	60	97	3.0	2 3/8"
05118078001	- 1/8"	60	97	3.0	2 3/8"
05118080001	- 3/16"	60	97	4.0	2 3/8"
05118082001	- 1/4"	60	97	4.0	2 3/8"
05118075001	- 1/8"	60	97	4.0	2 3/8"

### 2052 Ball end hexagon screwdriver for electronic applications



**Application:** Hexagon socket screws  
**Blade:** Round  
**Design:** Hexagon ball end, chrome-plated, Black Point  
**Handle:** Kraftform Micro with non-roll feature and rotating cap, multi-component

	⊕	mm	mm	mm	mm
05118089001	1,3	60	97	3.0	2 3/8"
05118090001	1,5	60	97	3.0	2 3/8"
05118092001	2,0	60	97	3.0	2 3/8"
05118094001	2,5	60	97	4.0	2 3/8"
05118096001	3,0	60	97	4.0	2 3/8"
05118098001	- 1/16"	60	97	3.0	2 3/8"
05118100001	- 1/8"	60	97	3.0	2 3/8"
05118102001	- 3/16"	60	97	3.0	2 3/8"
05118106001	- 1/4"	60	97	4.0	2 3/8"
05118103001	- 1/8"	60	97	4.0	2 3/8"

### 2072 Kraftform Micro screwdriver for Microstix® screws



**Application:** Microstix® socket screws  
**Blade:** Round  
**Design:** Chrome-plated, Black Point  
**Handle:** Kraftform Micro with non-roll feature and rotating cap, multi-component

	⊕	mm	mm	mm	mm
05118145001	m	40	97	2.5	1 1/8"

## Series Kraftform Micro

### 1013 Kraftform Micro bitholding screwdriver



**Application:** Suitable for bits with 4 mm Halfmoon drive (and Wera Serie 9) and 4 mm HIOS drive (and Wera Serie 21)  
**Design:** With quick-release chuck for rapid bit change  
**Handle:** Kraftform Micro with non-roll feature and rotating cap, multi-component

	mm	mm	mm
05051276001	23	97	1"

### Kraftform Micro 12 Universal 1 Screwdriver set for electronic applications



**Application:** Slotted and Phillips screws, TORX® socket screws, and Hexagon socket screws

**Content:** 12-piece set, in a belt pouch

	⊕	mm	mm	mm	mm
05073675001	2050 PH Micro	1 x PH 00x40 <sup>1)</sup> ; 1 x PH 00x40 <sup>1)</sup> ; 1 x PH 0x40			
	2067 TORX® B0 Micro	1 x TX 8x60; 1 x TX 10x60			
	2067 IPR Micro	1 x 1 IPR x 44			
	2035 Micro	1 x 0,23x1,5x40; 1 x 0,30x1,8x60; 1 x 0,40x2,0x60; 1 x 0,40x2,5x80; 1 x 0,50x3,0x80			
	2054 Micro	1 x 0,9x40; 1 x 1,5x60; 1 x 2x60			

<sup>1)</sup> Optimised for Asian PH screws  
<sup>2)</sup> Size 0 modified according to JCS 0 (Japanese Camera Industrial Standard)

### Kraftform Micro 12 Electronics 1 Screwdriver set for electronic applications



**Application:** Slotted, Phillips, TORX® B0, TORX PLUS® IPR, Microstix® screw and hexagon headed bolts, screws and nuts. 1 remover.

**Content:** 12-piece set, in a belt pouch

	⊕	mm	mm	mm	mm
05073675001	2050 PH Micro	1 x PH 00x40 <sup>1)</sup> ; 1 x PH 00x40 <sup>1)</sup> ; 1 x PH 0x40			
	2067 TORX® B0 Micro	1 x TX 8x60; 1 x TX 10x60			
	2067 IPR Micro	1 x 1 IPR x 44			
	2035 Micro	1 x 0,23x1,5x40; 1 x 0,30x1,8x60; 1 x 0,40x2,0x60; 1 x 0,40x2,5x80; 1 x 0,50x3,0x80			
	2054 Micro	1 x 0,9x40; 1 x 1,5x60; 1 x 2x60			

<sup>1)</sup> Optimised for Asian PH screws  
<sup>2)</sup> Size 0 modified according to JCS 0 (Japanese Camera Industrial Standard)

### 919 PH Offset Screwdriver

- Offset screwdrivers for cross-recess screws, Phillips
- 90° and 180°, chrome-plated

#### 919 PH Offset Screwdriver



	EAN	+	┌	└	┌	└		
Code	4013288		mm	mm				
05017205001	002792	PH1+2	125	20	5"	2 <sup>5</sup> / <sub>32</sub> "		5

### 919 PZ Offset Screwdriver

- Offset screwdrivers for cross-recess screws, Pozidriv
- 90° and 180°

#### 919 PZ Offset Screwdriver



	EAN	*	┌	└	┌	└		
Code	4013288		mm	mm				
05017305001	002815	PZ1+2	125	20	5"	2 <sup>5</sup> / <sub>32</sub> "		5

### 920 A Offset Screwdriver

- Offset screwdrivers for slotted screws
- 90° and 180°

#### 920 A Offset Screwdriver



	EAN	—	┌	└	┌	└		
Code	4013288	mm	mm	mm				
05017405001	002839	4,0+4,0	100	12	4"	1/2"		5
05017410001	002846	5,5+5,5	125	16	5"	5/8"		5
05017415001	002853	8,0+8,0	150	20	6"	2 <sup>5</sup> / <sub>32</sub> "		5



Art.-No.	Barcode	+	mm	mm
171-T01	-002893	T01	60	140
171-T02	-002909	T02	60	140
171-T03	-002916	T03	60	140
171-T04	-002923	T04	60	140



Art.-No.	Barcode	●	mm	mm
171-S07	-005016	0,7	60	140
171-S09	-005023	0,9	60	140
171-S13	-314330	1,3	60	140
171-S15	-895068	1,5	60	140
171-S20	-005054	2,0	60	140



Set of 7 precision screwdrivers. Ideal for electronics work.

Ref. 31WA302

- 2, 2.5, 3 (x50mm)
- PH00, PH0 (x50mm)
- T6, T8 (x50mm)