



HAND HACKSAW BLADES



HSS Bi-Metal

High performance blade; BEST SELLER

- Blade manufactured in two types of steel, with a cutting edge in molybdenum high-speed steel, and a flexible back in spring steel to withstand loads and avoid breakage.
- Recommended for all types of materials.

REF. 2K00---	Teeth per inch	Piece	Dimension (mm)
I.HS-HSS-Bi.18	18	100 or 50	300 x 12.7 x 0.63
I.HS-HSS-Bi.24	24	100 or 50	300 x 12.7 x 0.63
I.HS-HSS-Bi.32	32	100 or 50	300 x 12.7 x 0.63
I.HS-HSS-Bi.18/28	18-28	100 or 50	300 x 12.7 x 0.63

ALLHARD

Very rigid, for accurate cutting

- Molybdenum high-speed steel, fully hardend, with high cutting efficiency and long life.
- Recommended for all types of materials.

REF. 2K01---	Teeth per inch	Piece	Dimension (mm)
I.HS.HSS-SB-5.14	14	100 or 50	300 x 12.7 x 0.63
I.HS.HSS-SB-5.18	18	100 or 50	300 x 12.7 x 0.63
I.HS.HSS-SB-5.24	24	100 or 50	300 x 12.7 x 0.63
I.HS.HSS-SB-5.32	32	100 or 50	300 x 12.7 x 0.63
Double-sided teething			
I.HS.HSS-DC	24	50	300 x 25 x 0.71

HSS Flexible

- Standard blade in High Speed Steel, high quality, induction teeth hardening only.
- Unbreakable in normal conditions, allowing higher cutting speed.

REF. 2K02---	Teeth per inch	Piece	Dimension (mm)
I.HS.HSS-SB-6.18	18	100 or 50	300 x 12.7 x 0.63
I.HS.HSS-SB-6.24	24	100 or 50	300 x 12.7 x 0.63
I.HS.HSS-SB-6.32	32	100 or 50	300 x 12.7 x 0.63

Carbon-Flex

- Carbon steel blade, most flexible, with tempered tips and greatly stiffened back.
- Recommended for cutting low alloy and medium-hardness steels, very suitable for cutting pipes and profiles.
- Also available as double-sided hand saw (DC).


REF. 2K03---	Teeth per inch	Piece	Dimension (mm)
I.HS.CARBON.18	18	100 or 50	300 x 12.7 x 0.63
I.HS.CARBON.24	24	100 or 50	300 x 12.7 x 0.63
I.HS.CARBON.32	32	100 or 50	300 x 12.7 x 0.63
Double-sided teething			
I.HS.CARBON.DC24	24	50	300 x 25 x 0.71

ARCO DE SIERRA / HACK SAW / MONTURE DE SCIE À METEAUX / METALLSÄGEBÖGEN / ARCHETTI / ARCOS DE SERRA / HOЖOBKA

KRONOS

0° & 45° & 90°

COD	12"-300mm	gr.	
63742	12"-300mm	900	3




ALU

APOLO II

0° & 45° & 90°

COD	12"-300mm	gr.	
63781	12"-300mm	750	3




ALU

EFESTO

0° & 45° & 90°

COD	12"-300mm	gr.	
63304	12"-300mm	750	3




ALU

HÉRGULES

0° & 45° & 90°

COD	12"-300mm	gr.	
63748	12"-300mm	600	3




ALU

ULISES

0° & 45° & 90°

COD	12"-300mm	gr.	
63747	12"-300mm	550	3




ALU + ABS

TITÁN

0° & 90°

COD	12"-300mm	gr.	
63745	12"-300mm	450	6




ACERO / STEEL / AÇIER

MINIPROF

90°

COD	6"-150mm	gr.	
63744	6"-150mm	260	6





WGB BASIC+

9725

**Metallsägebogen
Hacksaw**

Hartholzheft
mit Sägeblatt

hard wood handle
with saw blade

Art.-No.

| mm |



9242780

300

196

1



WGB BASIC+

9727

**Metallsägebogen
Hacksaw**

Kunststoffgriff
mit Sägeblatt

plastic handle
with saw blade

Art.-No.

| mm |



9224420

300

604

1