



## Thread plug and ring gauges in sets

Sets of thread plug gauges or thread ring gauges for inspection of metric ISO threads.



836.561



836.562



- For threads M3, M4, M5, M6, M8, M10 and M12.
- Tolerance class:  
thread plug gauges: 6H,  
thread ring gauges: 6g.
- Hardened steel, thread plug gauges with aluminum grip.
- ISO 1502.
- Delivery in a wooden case with a traceable measuring report.

Item No.	Thread gauges set
836.561	Plug gauges (Go+NoGo)
836.562	Ring gauges (Go)
836.563	Ring gauges (NoGo)

## Plug gauges and setting rings in sets

- Hardened steel, plug gauges with aluminum grip.
- Set setting rings DIN 2250 form C.
- Set plug gauges DIN 2248/2249.
- Delivery in a wooden case with a traceable measuring report.



Item No.	Description
836.564	Setting rings: $\phi 4$ , $\phi 5$ , $\phi 6$ , $\phi 8$ mm
836.565	Setting rings: $\phi 10$ , $\phi 12$ , $\phi 16$ , $\phi 20$ , $\phi 25$ mm
836.566	Plug gauges (Go+NoGo) H7: 3, 4, 5, 6, 8, 10, 12 mm

## Thread jaw gauges

Jaw-shaped gauge for inspection of external screw thread. Delivery excl. setting thread plug gauge.



*Available on request.*

# Präzisions-Gewindelehren

Precision Thread Gauges





## Precision thread gauges

### ISO metric threads DIN 13

LD  
LD-6G



LD-TiCN  
LD-6G-TiCN




GR, GR-6e



AR, AR-6e



**M**



Order-Code	LD	LD-6G	LD-TiCN	LD-6G-TiCN	GR	AR	GR-6e	AR-6e
d	P	6H	6G	6H	6G	6g	6e	6e
	mm	Plug gauge up to M 1,4 = 5 H	Plug gauge	incl. insp. cert. GO: HSS-TiCN NO GO: tool steel	incl. insp. cert. GO: HSS-TiCN NO GO: tool steel	GO ring gauge up to M 1,4 = 6 h	NO GO ring gauge, up to M 1,4 = 6 h	GO ring gauge NO GO ring gauge
		€	€	€	€	€	€	€

○ = in stock  
price on  
request

▶ **LH** – LD, LD-6G, GR, AR,  
GR-6e, AR-6e for left hand  
threads 25% extra charge

▶ **4h, 6h**  
GR and AR 4h and 6h  
25% extra charge on 6g prices

▶ **LD-4H**  
25% extra charge  
on 6H prices

**MEDIDAS A PARTIR DE 0.5MM DE DIÂMETRO DA ROSCA ATÉ AO DIÂMETRO PRETENDIDO**

**INDIQUE SEMPRE O DIÂMETRO E O PASSO DE ROSCA DE CADA CALIBRE**

## Precision thread gauges

### ISO metric fine threads DIN 13

LD  
LD-6G



GD



AD




GR



AR



**MF**



Order-Code	LD	LD-6G	GD	AD	LD-TiCN	LD-6G-TiCN	GR	AR
d	P	6H	6G	6H	6H	6G	6g	6g
	mm	plug gauge	plug gauge	GO plug gauge	NO GO plug gauge	incl. insp. cert. GO: HSS-TiCN NO GO: tool steel	incl. insp. cert. GO: HSS-TiCN NO GO: tool steel	GO ring gauge NO GO ring gauge

▶ **LH** – LD, LD-6G, GD, AD,  
GR, AR for left hand threads  
25% extra charge

▶ **6e** – GR and AR  
for tolerance 6e  
15% extra charge

▶ **4h, 6h**  
GR and AR 4h and 6h  
25% extra charge on 6g prices

▶ **LD-4H**  
25% extra charge  
on 6H prices

Em caso de consulta, favor especificar o tipo do calibre, a tolerância pretendida e o tipo de construção revestimentos ou outros dados...  
(LD-passa/não passa; GD-passa; AD-não passa; GR-anel passa; AR-anel não passa)