



H x B x T h x w x l mm	
970 x 670 x 470	79900

142

Werkstattwagen - 7 Schubladen Tool Trolley - 7 compartments

Der Werkstattwagen für extreme Belastungen.
Ein zuverlässiger Partner für Anwender in Handwerk, Industrie, Handel und Kfz-Werkstätten.
Kompakt. Perfekt in Form und Funktion.
Pulverbeschichtete, stabile 3-mm-Stahlblechfunktion.
Belastbarkeit je Schublade 45 kg mit leichtgängigen, kugelgelagerten Schubladenführungsschienen.
2 Bock- und 2 Lenkrollen aus Polypropylen.
Seitenteile mit Eurolochung.
PP-Kunststoffauflage mit Kleinteilefächern.
Ergonomischer Handgriff.



H x B x T h x w x l mm	
970 x 670 x 470	49500

140

Werkstattwagen - 5 Schubladen Tool Trolley - 5 compartments

for users in industries, trade and garage
compact, perfect in form and function, reliable under extreme load
powder-coated, strong sheet 3 mm thick for the body construction
loading capacity of approx. 45 kg per drawer
with auto return ball-bearing drawer slides for all drawers
2 fixed castors and 2 swivel castors made of polypropylene
with recessed side panels in Euro holes
PP-tray with integral compartment for small parts
ergonomic handle



1440



1441



1442



1443



1444



1445



1446



1447



1448



1449



1450



1451



1452



1453



1454



1455



1456



1457



1458



1459



1460



1461



1462



1463

1440

Modul Doppelringschlüssel, DIN 838 Module Double Ended Ring Spanner, DIN 838

ISO 3318, ISO 1085, ISO 10104
Chrom-Vanadium Stahl
verchromt
8-tlg.

ISO 3318, ISO 1085, ISO 10104
Chrome-Vanadium steel
chrome plated
8 pcs.




Art. No.	für/for	Ømm	L x B x H l x w x h mm		
14400010	140 • 142	6 x 7 • 8 x 9 • 10 x 11 • 12 x 13 • 14 x 15 • 16 x 17 • 18 x 19 • 20 x 22	345 x 182 x 35	1150	1

1441

Modul Ringmaulschlüssel, DIN 3113 A Module Combination Spanner, DIN 3113 A

ISO 3318, ISO 7738
Chrom-Vanadium Stahl
verchromt
10-tlg.

ISO 3318, ISO 7738
Chrome-Vanadium steel
chrome plated
10 pcs.



Art. No.	für/for	Ømm	L x B x H l x w x h mm		
14410010	140 • 142	8 • 10 • 11 • 13 • 14 • 16 • 17 • 18 • 19 • 22	345 x 182 x 35	965	1

1442

Modul Ringmaulschlüssel, DIN 3113 B Module Combination Spanner, DIN 3113 B

ISO 3318, ISO 7738
Chrom-Vanadium Stahl
verchromt
10-tlg.

ISO 3318, ISO 7738
Chrome-Vanadium steel
chrome plated
10 pcs.



Art. No.	für/for	Ømm	L x B x H l x w x h mm		
14420010	140 • 142	8 • 10 • 11 • 13 • 14 • 16 • 17 • 18 • 19 • 22	345 x 182 x 35	1200	1

1443 WGB

Modul Doppelpmaulschlüssel, DIN 3110 Module Double Open Ended Spanner, DIN 3110

ISO 3318, ISO 1085, ISO 10102
Chrom-Vanadium Stahl
verchromt
8-tlg.

ISO 3318, ISO 1085, ISO 10102
Chrome-Vanadium steel
chrome plated
8 pcs.




Art. No.	für/for	Ømm	L x B x H l x w x h mm		
14430010	140 • 142	6 x 7 • 8 x 9 • 10 x 11 • 12 x 13 • 14 x 15 • 16 x 17 • 18 x 19 • 20 x 22	345 x 182 x 35	750	1

ISO 3315, DIN 3120 A, ISO 3316, DIN 3120 A/C, ISO 1174-1
Chrom-Vanadium steel
chrome plated
33 pcs.

6.3 1/4 WGB

- 500 Socket, 6-point 4•5•6•7•8•9•10•11•12•13•14 mm
- 501 Hexagon Screwdriver Socket 3•4•5•6•8 mm
- 524 Socket, 6-point, long 8•10•11•13 mm
- 523 TX Screwdriver Socket TX8•TX10•TX15•TX20•TX25•TX27•TX30
- 509 Universal Joint 40 mm
- 507 Extension Bar 55•150 mm
- 505 Sliding T-Handle 115 mm
- 505 Spinner Handle 145 mm
- 5012 Reversible Ratchet, lever type, 72 theet 140 mm

1444



Module Socket Set

Art. No.	für/for	L x B x H l x w x h mm		
14440010	140 • 142	345 x 182 x 35	850	1

1445

Module Hexagon Key Wrench Sets, DIN ISO 2396

Chrome-Vanadium steel
nickel plated | chrome plated
4 pcs.



- 328 Hexagon Key Wrench Set 1,5•2•2,5•3•4•5•6•8•10 mm
- 330 Hexagon Key Wrench Set 1,5•2•2,5•3•4•5•6•8•10 mm
- 314 TORX® Key Wrench Set
TX9•TX10•TX15•TX20•TX25•TX27•TX30•TX40
- 320 Hexagon Key Wrench Set 2,5•3•4•5•6•8•10 mm

Art. No.	für/for	L x B x H l x w x h mm		
14450010	140 • 142	345 x 182 x 35	1350	1

1446

Module Socket Set, DIN 3122, DIN 3123, DIN 3123 B, DIN 7422

ISO 3315, DIN 3120 A, ISO 3316, DIN 3120 A/C, ISO 1174-1
Chrome-Vanadium steel
chrome plated
21 pcs.



- 360 Steckschlüssel-Einsatz, 6-kant 10•11•12•13•14•15•16•17•18•19•21•22•24•27•30•32 mm
- 352 Kardangelenk 73 mm
- 356 Verlängerung 125•250 mm
- 354 Griff mit Gleitstück 300 mm
- 3066 Hebelumschaltknarre, 72 Zähne 250 mm
- 360 Socket, 6-point 10•11•12•13•14•15•16•17•18•19•21•22•24•27•30•32 mm
- 352 Universal Joint 73 mm
- 356 Extension Bar 125•250 mm
- 354 Sliding T-Handle 300 mm
- 3066 Reversible Ratchet, lever type, 72 theet 250 mm

Art. No.	für/for	L x B x H l x w x h mm		
14460010	140 • 142	345 x 182 x 35	3050	1

1447

Module Screwdriver, DIN ISO 2380, DIN ISO 8764

Chrome-Vanadium steel / Molybdenum-Vanadium steel
chrome plated with black tip
two component handle with hanging hole
7 pcs.



- 550 Engineers Screwdriver 4•5•5,5•6,5 mm
- 551 PH Screwdriver PH1•PH2
- 538 PH Stubby Screwdriver PH1

Art. No.	für/for	L x B x H l x w x h mm		
14470010	140 • 142	345 x 182 x 35	450	1

1448

Module Hammer, Chisels and Punches, DIN 1041, DIN 7250, DIN 6450

Special Steel | Chrome-Vanadium air hardened steel
chrome plated
8 pcs.

- 700 Machinist's Hammer 500 g
- 750 Flat Cold Chisel 150•200 mm
- 740 Centre Punch 4 mm
- 770 Parallel Pin Punch 3•4•5•6 mm



Art. No.	für/for	L x B x H l x w x h mm		
14480010	140 • 142	345 x 182 x 35	1550	1

**Module Cutters and Pliers, DIN ISO 5746,
DIN ISO 5749, DIN ISO 5745, DIN ISO 8976**

head polished
two component handle
4 pcs.

1449

WGB

- 846 Combination Pliers 180 mm
- 861 Diagonal Cutters 180 mm
- 892 Snipe Nose Pliers, straight 200 mm
- 820 Water Pump Pliers 240 mm



Art. No.	für/for	L x B x H l x w x h mm		
14490010	140 • 142	345 x 182 x 35	1200	1

1450

Module TX Screwdrivers

Molybdenum-Vanadium steel
chrome plated with black tip
two component handle with hanging hole
7 pcs.



- 790 TX Screwdriver TX8•TX10•TX15•TX20•TX25•TX27
- 538 PH Stubby Screwdriver PH2



Art. No.	für/for	L x B x H l x w x h mm		
14500010	140 • 142	345 x 182 x 35	350	1

1451

**Modul Ringmaulschlüssel mit Ratsche
Module Combination Gear Wrench**

WGB

Chrom-Vanadium Stahl verchromt umschaltbar abgewinkelt 5-tlg.	Chrome-Vanadium steel chrome plated reversible offset 5 pcs.
---	--



Art. No.	für/for	mm	L x B x H l x w x h mm		
14510010	140 • 142	8 • 10 • 13 • 17 • 19	345 x 182 x 35	605	1

1452

**Modul Ringmaulschlüssel mit Ratsche
Module Combination Gear Wrench**

Chrom-Vanadium Stahl verchromt umschaltbar abgewinkelt 14-tlg.	Chrome-Vanadium steel chrome plated reversible offset 14 pcs.
--	---



Art. No.	für/for	mm	L x B x H l x w x h mm		
14520010	140 • 142	8 • 10 • 13 • 14 • 15 • 16 • 17 • 18 • 19 • 22 • 24 • 27 • 30 • 32	345 x 182 x 35	4000	1

1453

Modul Doppelring-Ratschenschlüssel Module Double-Box Gear Wrench

Chrom-Vanadium Stahl
verchromt
7-tlg.
umschaltbar
abgewinkelt

Chrome-Vanadium steel
chrome plated
7 pcs.
reversible
offset



Art. No.	für/for	Ø _{mm}	L x B x H l x w x h mm		
14530010	140 • 142	8 x 9 • 10 x 11 • 10 x 13 • 12 x 13 • 14 x 15 • 16 x 18 • 17 x 19	345 x 182 x 35	898	1

1454

WGB

Module Hexagon-Screwdriver Sockets, DIN 7422

DIN 3120 C, ISO 1174-1
Chrom-Vanadium Stahl
verchromt
18-tlg.

DIN 3120 C, ISO 1174-1
Chrome-Vanadium steel
chrome plated
18 pcs.

6,3 1/4"
12,5 1/2"



- 501 Innensechskant-Schraubendreher-Einsatz 2•2,5•3•4•5•6
- 363 Innensechskant-Schraubendreher-Einsatz 6•7•8•10•12•14
- 363 Innensechskant-Schraubendreher-Einsatz lange Ausführung 5•6•7•8•10•12

- 501 Hexagon Screwdriver Socket 2•2,5•3•4•5•6
- 363 Hexagon Screwdriver Socket 6•7•8•10•12•14
- 363 Hexagon Screwdriver Socket, long 5•6•7•8•10•12

Art. No.	für/for	L x B x H l x w x h mm		
14540010	140 • 142	345 x 182 x 35	1278	1

1455

Module Sockets, 12-point, DIN 3124

ISO 2725-1, DIN 3120 C, ISO 1174-1
Chrom-Vanadium Stahl
verchromt
18-tlg.

6,3 1/4"
12,5 1/2"

ISO 2725-1, DIN 3120 C, ISO 1174-1
Chrome-Vanadium steel
chrome plated
18 pcs.



- 350 Steckschlüssel-Einsatz, 12-kant 9•10•12•18•19•21 mm
- 349 XZN Schraubendreher-Einsatz M6•M8•M9•M10•M12•M14
- 349 XZN Schraubendreher-Einsatz, lang M6•M8•M9•M10•M12•M14

- 350 Socket, 12-point 9•10•12•18•19•21 mm
- 349 Spline Screwdriver Socket XZN M6•M8•M9•M10•M12•M14
- 349 Spline Screwdriver Socket XZN, long M6•M8•M9•M10•M12•M14

Art. No.	für/for	L x B x H l x w x h mm		
14550010	140 • 142	345 x 182 x 35	1278	1

1456

Modul Ringmaulschlüssel extra lang Module Combination Spanner extra long

Chrom-Vanadium Stahl
verchromt
5-tlg.

Chrome-Vanadium steel
chrome plated
5 pcs.



Art. No.	für/for	Ø _{mm}	L x B x H l x w x h mm		
14560010	140 • 142	8 • 10 • 13 • 17 • 19	345 x 182 x 35	666	1

1457

Module Sockets, 6-point, long type, DIN 3124

ISO 2725-1, DIN 3120 C, ISO 1174-1
 Chrome-Vanadium steel
 chrome plated
 10 pcs.

12,5 1/2"



Art. No.	für/for	Ømm	L x B x H l x w x h mm		
14570010	140 • 142	10 • 11 • 12 • 13 • 14 • 17 • 19 • 22 • 24 • 27	345 x 182 x 35	1588	1

1458

Module Impact Sockets, 6-point, DIN 3129

Chrome-Molybdenum steel
 black
 12 pcs.

12,5 1/2"



Art. No.	für/for	Ømm	L x B x H l x w x h mm		
14580010	140 • 142	10 • 11 • 12 • 13 • 14 • 15 • 16 • 17 • 19 • 21 • 22 • 24	345 x 182 x 35	998	1

1459

Module Deep Impact Socket, 6-point, long type, DIN 3129

Chrome-Molybdenum steel
 black
 12 pcs.

12,5 1/2"



Art. No.	für/for	Ømm	L x B x H l x w x h mm		
14590010	140 • 142	10 • 12 • 13 • 14 • 15 • 16 • 17 • 19 • 21 • 22 • 24 • 27	345 x 182 x 35	2386	1

1460

Module VDE Pliers,
 DIN 5745, DIN 5746, DIN 5749
 insulated according DIN EN 60900 (VDE 0682/201)
 head mirror polished
 two component handle
 4 pcs.

- 884 VDE Combination Pliers 180 mm
- 885 VDE Diagonal Cutters 160 mm
- 887 VDE Snipe Nose Pliers, straight 200 mm
- 888 VDE Snipe Nose Pliers, 45° bent 200 mm



Art. No.	für/for	L x B x H l x w x h mm		
14600010	140 • 142	345 x 182 x 35	850	1

1461

Module VDE Screwdriver, DIN ISO 2380, DIN ISO 8764

insulated according DIN EN 60900 (VDE 0682/201)
 Molybdenum-Vanadium steel
 two component handle with hanging hole
 8 pcs.

- 595 VDE Screwdriver 2,5•3,5•4•5,5•6,5 mm
- 596 VDE PH Screwdriver PH0•PH1•PH2

WGB



Art. No.	für/for	L x B x H l x w x h mm		
14610010	140 • 142	345 x 182 x 35	850	1

1462

Modul Schraubendrehereinsätze Module Screwdriver Sockets

ISO 3315, DIN 3120 A, ISO 3316, DIN 3120 A/C, ISO 1174-1
Chrom-Vanadium Stahl
verchromt
21-tlg.



- 357 TX Schraubendreher-Einsatz TX25•TX27•TX30•TX40•TX45•TX50
- 347 E-TX Schraubendreher-Einsatz E10•E12•E14•E16•E18•E20
- 363 Innensechskant-Schraubendreher-Einsatz 6•7•8•10•12•14 mm
- 519 Übergangsteil 1/4" innen, 3/8" außen 25 mm
- 368 Übergangsteil 1/2" innen, 3/4" außen 44 mm
- 438 Übergangsteil 3/4" innen, 1/2" außen 44 mm

- 357 TX Screwdriver Socket TX25•TX27•TX30•TX40•TX45•TX50
- 347 E-TX Screwdriver Socket E10•E12•E14•E16•E18•E20
- 363 Hexagon Screwdriver Socket 6•7•8•10•12•14 mm
- 519 Adaptor 1/4" female, 3/8" male 25 mm
- 368 Adaptor 1/2" female, 3/4" male 44 mm
- 438 Adaptor 3/4" female, 1/2" male 44 mm

Art. No.	für/for	L x B x H l x w x h mm		
14620010	140 • 142	345 x 182 x 35	1600	1

1463

Module Circlip Pliers, DIN 5254, DIN 5256

head polished
PVC-dip-coated handle
4 pcs.

- 830 Circlip Pliers for external retaining rings A2•A21
- 850 Circlip Pliers for internal retaining rings J2•J21



Art. No.	für/for	L x B x H l x w x h mm		
14630010	140 • 142	345 x 182 x 35	750	1

Toolbag 400x360x230 3comp.int + 4 bolsas

Mala 255x410x200



164 WGB

Pro Tool Rucksack

black-grey, with WGB-Logo
large capacities, ideal for storage of tools
heavy-duty, water repellent polyester fabric
padded back section and shoulder strap with mobile phone pocket
upholstered handle for comfortable carrying comfort
strong zippers, dirt resistant
3-part internal compartments, fold out
4 external Pockets for practical tool storage

Art. No.	L x B x H l x w x h mm	
9287600	400 x 360 x 230	2600



163

Profi-Werkzeugtasche Pro Tool Bag

black-grey, with WGB-Logo
large capacities, ideal for storage of tools
strong, reinforced plastic base
sturdy, foldaway steel tube carrying bar
adjustable, removable shoulder strap
multiple external pockets for tools
removable hammer holder, nail bag and universal holder
removable Velcro fastening cover

Art. No.	L x B x H l x w x h mm	
9287590	255 x 410 x 200	1850

164 U WGB

Pro Tool Rucksack Universal

35 pcs.

- 700 Machinist's Hammer 400 g
- 861 Heavy-Duty Diagonal Cutters 180 mm
- 416 Folding Rule 2 m
- 414 Carpenter's Pencil, oval
- 230 Combination Spanner Set, 8-pcs. 8-19 mm
- 419 Water Level 400 mm
- 380 Tyre Lever 400 mm
- 811 Pipe Wrench angled 45°, S-Type 1.1/2"
- 819 Water Pump Pliers 240 mm
- 828 Grip Pliers 250 mm
- 892 Snipe Nose Pliers 200 mm
- 846 Combination Pliers 200 mm
- 520 Engineers Screwdriver 4,5•5,5•7•9 mm
- 525 PH Screwdriver PH1•PH2
- 320 KH Hexagon Key Wrench Set, 9-pcs. 1,5-10 mm
- 415 Steel Wire Brush, 4 rows 295 mm



Art. No.	L x B x H l x w x h mm	
9010504	400 x 360 x 230	8300

164 V

Pro Tool Rucksack VDE

35 pcs.

- 700 Machinist's Hammer 400 g
- 595 VDE Screwdriver 3,5•5,5•6,5 mm
- 416 Folding Rule 2 m
- 414 Carpenter's Pencil, oval
- 230 Combination Spanner Set, 8-pcs. 8-19 mm
- 419 Water Level 400 mm
- 889 VDE Wire Stripper 160 mm
- 596 VDE PH Screwdriver PH1•PH2
- 884 VDE Combination Pliers 180 mm
- 887 VDE Snipe Nose Pliers, straight 200 mm
- 886 VDE Heavy Duty Diagonal Cutters 200 mm
- 896 Cable Cutters 170 mm
- 809 Cable Knife 165 mm
- 819 Water Pump Pliers 240 mm
- 320 KH Hexagon Key Wrench Set, 9-pcs. 1,5-10 mm
- 555 VDE Voltage Tester 120-250 Volt



Art. No.	L x B x H l x w x h mm	
9010503	400 x 360 x 230	6277

163 U WGB

Pro Tool Bag Universal

35 pcs.

- 700 Machinist's Hammer 400 g
- 861 Heavy-Duty Diagonal Cutters 180 mm
- 416 Folding Rule 2 m
- 414 Carpenter's Pencil, oval
- 230 Combination Spanner Set, 8-pcs. 8-19 mm
- 419 Water Level 400 mm
- 380 Tyre Lever 400 mm
- 811 Pipe Wrench angled 45°, S-Type 1.1/2"
- 819 Water Pump Pliers 240 mm
- 828 Grip Pliers 250 mm
- 892 Snipe Nose Pliers 200 mm
- 846 Combination Pliers 200 mm
- 520 Engineers Screwdriver 4,5•5,5•7•9 mm
- 525 PH Screwdriver PH1•PH2
- 320 KH Hexagon Key Wrench Set, 9-pcs. 1,5-10 mm
- 415 Steel Wire Brush, 4 rows 295 mm



Art. No.	L x B x H l x w x h mm	
9010505	255 x 410 x 200	7550

163 V

Pro Tool Bag VDE

35 pcs.

- 700 Machinist's Hammer 400 g
- 595 VDE Screwdriver 3,5•5,5•6,5 mm
- 945 Folding Rule 2 m
- 950 Carpenter's Pencil, oval
- 230 Combination Spanner Set, 8-pcs. 8-19 mm
- 980 Water Level 400 mm
- 889 VDE Wire Stripper 160 mm
- 596 VDE PH Screwdriver PH1•PH2
- 884 VDE Combination Pliers 180 mm
- 887 VDE Snipe Nose Pliers, straight 200 mm
- 886 VDE Heavy Duty Diagonal Cutters 200 mm
- 896 Cable Cutters 170 mm
- 809 Cable Knife 165 mm
- 819 Water Pump Pliers 240 mm
- 320 KH Hexagon Key Wrench Set, 9-pcs. 1,5-10 mm
- 555 VDE Voltage Tester 120-250 Volt



Art. No.	L x B x H l x w x h mm	
9010502	255 x 410 x 200	5527



56 pcs.

- Double Open Ended Spanner 6 x 7 | 8 x 9 | 10 x 11 | 12 x 13 | 14 x 15 | 16 x 17 | 18 x 19 | 20 x 22 mm
- Double Ended Ring Spanner 6 x 7 | 8 x 9 | 10 x 11 | 12 x 13 | 14 x 15 | 16 x 17 | 18 x 19 | 20 x 22 mm
- 1/2" Socket, 6-point 10 | 11 | 12 | 13 | 14 | 15 | 17 | 19 | 22 | 24 | 27 | 30 | 32 mm
- Hexagon Key Wrench Set 2.5 | 3 | 4 | 5 | 6 | 8 mm
- 1/2" Universal Joint 73 mm
- 1/2" Sliding T-Handle 300 mm
- 1/2" Extension Bar 125 | 250 mm
- 1/2" Reversible Ratchet, 45 teeth 250 mm
- Tyre Lever 400 mm
- 1/2" Spark Plug Socket 21 mm
- Engineers Screwdriver 4 | 6 | 8 mm
- PH Screwdriver PH2
- VDE Voltage Tester 120-250 Volt
- Machinist's Hammer 500 g
- Centre Punch 120 x 2 mm
- Fiat Chisel 150 mm
- Section Punch 120 x 4 mm
- Combination Pliers 180 mm
- Diagonal Cutters 160 mm
- Water Pump Pliers 240 mm
- Grip Pliers 250 mm

108

L x B x H (mm)		
200 x 530 x 200	16500	1

REF.065530
COM 5 DIVISORIAS
530Comp.x200Larg.x200H



REF.067530
COM 7 DIVISORIAS
485Comp.x220Larg.x285H

