

SUPERSTAR



The original! With ultrasonic-welded vials (BMI patent) and reflection-free readability!



No more double-bubble trouble!

699 A



699 M




- The original BMI domed round horizontal vial with magnifying effect provides unsurpassed readability, also for inverted measurement.
- Strong walls and shock-absorbing rubber end-caps preserve high measuring accuracy.
- Highest accuracy for life (0,5 mm/m) due to ultrasonic-welded vials.
- Milled measuring surface (up to 120 cm)
- Highest accuracy also for inverted measurement (0,5 mm/m).



| Length in cm | 30 | 40 | 50 | 60 | 80 | 90 | 100 | 120 | 150 | 180 | 200 |
|--------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| Order no. | 699 030 A | 699 040 A | 699 050 A | 699 060 A | 699 030 A | 699 090 A | 699 100 A | 699 120 A | 699 150 A | 699 180 A | 699 200 A |
| Price | | | | | | | | | | | |
| Order no. | 699 040 M | | 699 060 M | 699 030 M | | 699 100 M | 699 120 M | 699 150 M | 699 180 M | 699 200 M | |
| Price | | | | | | | | | | | |

ROBUST



The original! With ultrasonic-welded vials (BMI patent) and reflection-free readability!



No more double-bubble trouble!

698




698 D



- Unique, extremely torsion-resistant 4-chamber profile (60 x 26 mm cross-cut).
- The original BMI domed round vial with magnifying effect provides unsurpassed readability, also for inverted measurement.
- Highest accuracy for life (0,5 mm/m) due to ultrasonic-welded vials.
- Especially thick shock-absorbing rubber end-caps preserve high measuring accuracy – for life.
- Two milled measuring surfaces (up to 120 cm)
- Highest accuracy also for inverted measurement (0,5 mm/m).




available in lengths of up to 240 cm



| Length in cm | 40 | 50 | 60 | 80 | 90 | 100 | 120 | 150 | 180 | 200 | 240 |
|--------------|---------|---------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| Order no. | 698 040 | 698 050 | 698 060 | 698 030 | 698 090 | 698 100 | 698 120 | 698 150 | 698 180 | 698 200 | 698 240 |
| Price | | | | | | | | | | | |
| Order no. | | | 698 060 D | 698 030 D | 698 090 D | 698 100 D | 698 120 D | 698 150 D | 698 180 D | 698 200 D | 698 240 D |
| Price | | | | | | | | | | | |

SUPERROBUST



The original! With ultrasonic-welded vials (BMI patent) and reflection-free readability!



No more double-bubble trouble!


695 D



from 180 cm with 2 h- and 2 v-vials!

available in lengths of up to 240 cm

- Unique, extremely torsion-resistant 4-chamber profile (75 x 26 mm cross-cut).
- The original BMI domed round vial with magnifying effect provides unsurpassed readability, also for inverted measurement.
- Highest accuracy for life (0,5 mm/m) due to ultrasonic-welded vials.
- Especially thick shock-absorbing rubber end-caps preserve high measuring accuracy – for life.
- Highest accuracy also for inverted measurement (0,5 mm/m).



| Length in cm | 120 | 180 | 200 | 240 |
|--------------|-----------|------------|------------|------------|
| Order no. | 695 120 D | 695 180 DH | 695 200 DH | 695 240 DH |
| Price | | | | |

645 Inclination Level

Sturdy aluminium die-cast design with milled measuring face. Surface with orange powder coating. Rotating vial body with % and degree scale to transfer inclinations. Length 50 cm.



| | |
|--------------|---------|
| Length in cm | 50 |
| Order no. | 645 050 |
| Price | |

689 SW

Hose level for an easy conversion of heights into distances (according to hose length). Plexiglass tube with cm-graduation, sturdy plastic fittings. Height 330 mm, reading height 150 mm, diameter approx. 20 mm.



647 S

Transparent PVC hose matching 689 SW, diameter 10 mm.

| Length in m | 10 | 20 | 30 | 50 |
|-------------|----------|----------|----------|----------|
| Order no. | 647 S 10 | 647 S 20 | 647 S 30 | 647 S 50 |
| Price | | | | |

670 POCKET

High-impact plastic pocket level.
Plexiglass vials for horizontal and
vertical measuring.
Dimensions 100 x 35 x 13 mm.
Self service packing.
Packing unit: 10 items



Order no. 670 010 003
Price

671 NIVELLE


Pocket level made of high-impact
ABS. Prismatic measuring plane.
Plexiglass vial.
Dimensions: 150 x 25 x 23 mm.
Self service packing.
Packing unit: 10 items



Order no. 671 015 003
Price

675 LINE-LEVEL


Line level made of ABS with clip.
Eyelet to hook on to a levelling
line, plexiglass vials.
Dimensions: 120 x 29 x 17 mm.
Self service packing.
Packing unit: 10 items



Order no. 675 012 003
Price

676 Clamp-On Level

Clamp-on plastic level. Spring
bands ensure safe fixing e.g. on
straight battens. Plexiglass vial.
Dimensions: 150 x 25 x 23 mm.
Self service packing.
Packing unit: 10 items



Order no. 676 015 003
Price

673/674M TRIVELLE

Torpedo level with 3 vials for horizontal, vertical
and 45° measurements.
Dimensions: 200 x 42 x 17 mm.
Also available with powerful magnetic strip
(674 M).
Self service packing.
Packing unit: 10 items




also available with magnet



Order no. 673 020 003 674 020 003 M
Price

682 INKLINAT

Inclination level with horizontal vial.
Additional rotating vial to transfer inclinations.
Drawing aid for 45°, 60° and 120°, with
mm-graduation at the measuring plane.
Dimensions: 255 x 55 x 19 mm.
Self service packing.
Unit: 10 items



Order no. 682 025 003
Price

683/684M UNIVERSAL

Inclination level with horizontal vial. Additional
rotating vial to transfer inclinations. Drawing aid
for 45°, 60° and 120°, with mm- graduation at
the measuring plane. Also available with powerful
magnetic strips (684 M).
Dimensions: 250 x 54 x 15 mm.
Self service packing. Packing unit: 10 items



also available with magnet




Order no. 683 025 003 684 025 003 M
Price

685/685M TORPEDO

Sturdy spirit levels made of reinforced fibre
glass ABS- plastic. Round vials allows good
readability. Magnet execution (685M)
equipped with two strong disk magnets.
Dimensions: 250 x 43 x 22 mm.
Packing unit: 10 pieces



also available
with magnet



Order no. 685 025 003 685 025 003 M
Price

OUTROS NIVEIS + FAVOR CONSULTAR