

FITAS METRICAS BMI

MOLAS DE LÂMINA TEMPERADA, AÇO DE ALTA ESTABILIDADE
FITA DE AÇO COM FUNDO BRANCO – OPÇÕES DE GRADUAÇÃO e COMEÇO

Order survey tape quality

White enamelled
 13 mm



This is how your order no. could look like:

white enamelled measuring tape, printed graduation
 301 01 1 010 A

ERGOLINE

Size 1/2



Type	Frame size	Graduation number	Length meter	Measurement commencement	Tape commencement	Price
301	01	X	010	X	X	
301	01	X	015	X	X	
301	01	X	020	X	X	
301	02	X	025	X	X	
301	02	X	030	X	X	
301	02	X	050	X	X	

Size 3/4



Type	Frame size	Graduation number	Length meter	Measurement commencement	Tape commencement	Price
301	03	X	050	X	X	
301	04	X	100	X	X	

STANDARD

Size 1/2





Type	Frame size	Graduation number	Length meter	Measurement commencement	Tape commencement	Price
501	01	X	010	X	X	
501	01	X	015	X	X	
501	01	X	020	X	X	
501	02	X	025	X	X	
501	02	X	030	X	X	
501	02	X	050	X	X	

Size 3/4



Type	Frame size	Graduation number	Length meter	Measurement commencement	Tape commencement	Price
501	03	X	050	X	X	
501	04	X	100	X	X	

Please choose numbers and capital letters of desired tape features and transfer them to your order no.



Tape structures


- 1 Concealed, tempered spring blade steel of high stability
- 2 Anticorrosive phosphate coating
- 3 Synthetic resin, stoved
- 4 Printed graduation with red meter figures
- 5 Clear varnish to protect against wear, stoved

Type	Frame size	Graduation number	Length meter	Measurement commencement	Tape commencement	Price
501	31	X	010	X	X	
501	31	X	015	X	X	
501	31	X	020	X	X	
501	31	X	025	X	X	
501	31	X	030	X	X	
501	32	X	050	X	X	

Type	Frame size	Graduation number	Length meter	Measurement commencement	Tape commencement	Price
501	34	X	100	X	X	

Type	Frame size	Graduation number	Length meter	Measurement commencement	Tape commencement	Price
501	21	X	010	X	X	
501	21	X	015	X	X	
501	21	X	020	X	X	
501	22	X	025	X	X	
501	22	X	030	X	X	
501	23	X	050	X	X	

Type	Frame size	Graduation number	Length meter	Measurement commencement	Tape commencement	Price
501	00	X	001	X	X	
501	00	X	002	X	X	
501	00	X	005	X	X	
501	00	X	010	X	X	
501	00	X	015	X	X	
501	00	X	020	X	X	
501	00	X	025	X	X	
501	00	X	030	X	X	
501	00	X	050	X	X	
501	00	X	100	X	X	



Please choose numbers and capital letters of desired tape features and transfer them to your order no.

FITA DE AÇO COM FUNDO AMARELO – OPÇÕES DE GRADUAÇÃO e COMEÇO

Order survey tape quality

ISOLAN
 13 mm



This is how your order no. could look like:

ISOLAN tape, polyamide coating, printed graduation
 305 01 1 010 A

ERGOLINE

Size 1/2



Type	Frame size	Graduation number	Length meter	Measurement commencement	Tape commencement	Price
305	01	X	010	X	X	
305	01	X	015	X	X	
305	01	X	020	X	X	
305	02	X	025	X	X	
305	02	X	030	X	X	

Size 3/4



Type	Frame size	Graduation number	Length meter	Measurement commencement	Tape commencement	Price
305	03	X	030	X	X	
305	03	X	050	X	X	
305	04	X	100	X	X	

STANDARD

Size 1/2






Type	Frame size	Graduation number	Length meter	Measurement commencement	Tape commencement	Price
505	01	X	010	X	X	
505	01	X	015	X	X	
505	01	X	020	X	X	
505	02	X	025	X	X	
505	02	X	030	X	X	

Size 3/4



Type	Frame size	Graduation number	Length meter	Measurement commencement	Tape commencement	Price
505	03	X	030	X	X	
505	03	X	050	X	X	
505	04	X	100	X	X	

Please choose numbers and capital letters of desired tape features and transfer them to your order no.



Tape structures

- 1 Tempered spring blade made of carbon steel C 75
- 2 Anticorrosive phosphate layer
- 3 Yellow synthetic resin stoved
- 4 Printed graduation with red metre digits
- 5 Polyamide coating against wear*



*resistor to alkali, alkali solution, grease, oil and lubrication

Type	Frame size	Graduation number	Length meter	Measurement commencement	Tape commencement	Price
505	31	X	010	X	X	
505	31	X	015	X	X	
505	31	X	020	X	X	
505	32	X	025	X	X	
505	32	X	030	X	X	

Type	Frame size	Graduation number	Length meter	Measurement commencement	Tape commencement	Price
505	34	X	050	X	X	

Type	Frame size	Graduation number	Length meter	Measurement commencement	Tape commencement	Price
505	21	X	010	X	X	
505	21	X	015	X	X	
505	22	X	020	X	X	
505	22	X	025	X	X	
505	23	X	030	X	X	
505	23	X	050	X	X	

Type	Frame size	Graduation number	Length meter	Measurement commencement	Tape commencement	Price
505	00	X	001	X	X	
505	00	X	002	X	X	
505	00	X	005	X	X	
505	00	X	010	X	X	
505	00	X	015	X	X	
505	00	X	020	X	X	
505	00	X	025	X	X	
505	00	X	030	X	X	
505	00	X	050	X	X	
505	00	X	100	X	X	



Please choose numbers and capital letters of desired tape features and transfer them to your order no.

FITA AÇO INOX COM FUNDO NEGRO – OPÇÕES DE GRADUAÇÃO e COMEÇO

Order survey tape quality

PONTARIT 13 mm





This is how your order no. could look like:

315 01 1 010 A F

PONTARIT stainless steel tape, printed graduation

Category	Type	Frame size	Graduation number	Length meter	Measurement commencement	Tape commencement	Price
ERGOLINE Size 1/2	315	01	X	010	X	X	
	315	01	X	015	X	X	
	315	01	X	020	X	X	
	315	02	X	025	X	X	
	315	02	X	030	X	X	
	315	02	X	050	X	X	
Size 3/4	315	03	X	050	X	X	
	315	04	X	100	X	X	
STANDARD Size 1/2	515	01	X	010	X	X	
	515	01	X	015	X	X	
	515	01	X	020	X	X	
	515	02	X	025	X	X	
	515	02	X	030	X	X	
	515	02	X	050	X	X	
Size 3/4	515	03	X	050	X	X	
	515	04	X	100	X	X	

Please choose numbers and capital letters of desired tape features and transfer them to your order no.



Tape structures

- 1 Strain-hardened spring blade made of stainless chrome nickel steel
- 2 Matt-pickled surface
- 3 Printed graduation with red metre digits
- 4 Clear varnish against wear, stowed

Type	Frame size	Graduation number	Length meter	Measurement commencement	Tape commencement	Price
515	31	X	010	X	X	
515	31	X	015	X	X	
515	31	X	020	X	X	
515	31	X	025	X	X	
515	31	X	030	X	X	
515	32	X	050	X	X	
515	34	X	100	X	X	
515	21	X	010	X	X	
515	21	X	015	X	X	
515	21	X	020	X	X	
515	22	X	025	X	X	
515	22	X	030	X	X	
515	23	X	050	X	X	
515	00	X	010	X	X	
515	00	X	015	X	X	
515	00	X	020	X	X	
515	00	X	025	X	X	
515	00	X	030	X	X	
515	00	X	050	X	X	
515	00	X	100	X	X	

BASIC


Size 1/2

Size 3/4

RADIUS case

Replacement tapes

Please choose numbers and capital letters of desired tape features and transfer them to your order no.



FITA AÇO INOX COM FUNDO NEGRO GRAVAÇÃO PROFUNDA – OPÇÕES DE GRADUAÇÃO e COMEÇO

Order survey tape quality

High etched 13 mm



This is how your order no. could look like:



309 01 1 010 A F

High etched stainless steel tape

Category	Type	Frame size	Graduation number	Length meter	Measurement commencement	Tape commencement	Price
ERGOLINE Size 1/2	309	01	X	010	X	X	
	309	01	X	015	X	X	
	309	01	X	020	X	X	
	309	02	X	025	X	X	
	309	02	X	030	X	X	
	309	02	X	050	X	X	
Size 3/4	309	03	X	050	X	X	
	309	04	X	100	X	X	
STANDARD Size 1/2	509	01	X	010	X	X	
	509	01	X	015	X	X	
	509	01	X	020	X	X	
	509	02	X	025	X	X	
	509	02	X	030	X	X	
	509	02	X	050	X	X	
Size 3/4	509	03	X	050	X	X	
	509	04	X	100	X	X	
Brass frame series	309	12	4	010	L	476	
	309	12	4	015	L	476	
	309	12	4	020	L	476	
	309	12	4	025	L	476	
	309	12	4	030	L	476	
	309	12	4	050	L	476	

including weight 476
Please see p.13 for description, suitable for calibration

Please choose numbers and capital letters of desired tape features and transfer them to your order no.



Tape structures

- 1 Strain-hardened spring blade made of stainless chrome steel
- 2 Lower etched surface
- 3 Habbat, polished graduation

Type	Frame size	Graduation number	Length meter	Measurement commencement	Tape commencement	Price
509	31	X	010	X	X	
509	31	X	015	X	X	
509	31	X	020	X	X	
509	31	X	025	X	X	
509	31	X	030	X	X	
509	32	X	050	X	X	
509	34	X	100	X	X	
509	21	X	010	X	X	
509	21	X	015	X	X	
509	21	X	020	X	X	
509	22	X	025	X	X	
509	22	X	030	X	X	
509	23	X	050	X	X	
509	00	X	010	X	X	
509	00	X	015	X	X	
509	00	X	020	X	X	
509	00	X	025	X	X	
509	00	X	030	X	X	
509	00	X	050	X	X	
509	00	X	100	X	X	

BASIC


Size 1/2

Size 3/4

RADIUS case

Replacement tapes

Please choose numbers and capital letters of desired tape features and transfer them to your order no.



FITA FIBRA REFORÇADA COM FUNDO AMARELO – OPÇÕES DE GRADUAÇÃO e COMEÇO

Order survey tape quality
Plastic
13 mm

This is how your order no. could look like:
320 01 1 010 A

Plastic measuring tape, glass fibre reinforced

ERGOLINE	Type	Frame size	Graduation number	Length meter	Measurement commencement	Tape commencement	Price
Size 1/2	320	01	X	010	X	X	
	320	02	X	015	X	X	
	320	02	X	020	X	X	
	320	02	X	025	X	X	
Size 3/4	320	03	X	030	X	X	
	320	04	X	050	X	X	

STANDARD	Type	Frame size	Graduation number	Length meter	Measurement commencement	Tape commencement	Price
Size 1/2	520	01	X	010	X	X	
	520	02	X	015	X	X	
	520	02	X	020	X	X	
	520	02	X	025	X	X	
Size 3/4	520	03	X	030	X	X	
	520	03	X	050	X	X	
	520	04	X	100	X	X	

Please choose numbers and capital letters of desired tape features and transfer them to your order no.

Graduations:
 1 (cm)
 2 (cm/cm)
 3 (cm/inch) 25% surcharge

Measurement commencements:
 A
 B
 C

Tape commencements (optional):
 H (hooking) surcharge
 I (measurement commencement B)
 J (measurement commencement C)

Tape structures
 1 Glass fibres
 2 Extruded plastic coating
 3 Printed graduation with red metro digits
 4 Varnished against wear

Type	Frame size	Graduation number	Length meter	Measurement commencement	Tape commencement	Price
BASIC	520	31	X	010	X	X
	520	31	X	015	X	X
	520	32	X	020	X	X
	520	32	X	025	X	X
Size 1/2	520	33	X	030	X	X
	520	34	X	050	X	X
	520	34	X	100	X	X

Type	Frame size	Graduation number	Length meter	Measurement commencement	Tape commencement	Price
RADIUS case	520	21	X	010	X	X
	520	22	X	015	X	X
	520	22	X	020	X	X
	520	23	X	025	X	X
Size 3/4	520	23	X	030	X	X

Type	Frame size	Graduation number	Length meter	Measurement commencement	Tape commencement	Price
Replacement tapes	520	00	X	010	X	X
	520	00	X	015	X	X
	520	00	X	020	X	X
	520	00	X	025	X	X
	520	00	X	030	X	X
	520	00	X	050	X	X

Please choose numbers and capital letters of desired tape features and transfer them to your order no.

Graduations:
 1 (cm)
 2 (cm/cm)
 3 (cm/inch) 25% surcharge

Measurement commencements:
 A
 B
 C

Tape commencements (optional):
 H (hooking) surcharge
 I (measurement commencement B)
 J (measurement commencement C)

FITA AÇO INOX COM FUNDO NEGRO GRAVAÇÃO PROFUNDA – OPÇÕES DE GRADUAÇÃO e COMEÇO

Order survey tape quality
Deep etched
13 mm

This is how your order no. could look like:
317 01 1 010 A

LEXALIT stainless steel tape, etched graduation

ERGOLINE	Type	Frame size	Graduation number	Length meter	Measurement commencement	Tape commencement	Price
Size 1/2	317	01	1	010	X	X	
	317	01	1	015	X	X	
	317	01	1	020	X	X	
	317	02	1	025	X	X	
	317	02	1	030	X	X	
	317	02	1	050	X	X	
Size 3/4	317	03	1	050	X	X	

Please choose numbers and capital letters of desired tape features and transfer them to your order no.

Graduations:
 1 (cm)

Measurement commencements:
 A
 B
 C

Tape commencements (optional):
 F (FLEXTOP)
 HF (hooking flexible) surcharge
 I (measurement commencement B)
 J (measurement commencement C)
 M (metal ring)

Tape structures
 1 Tempered spring blade made of stainless chrome steel
 2 Polished surface
 3 Deep-etched, black graduation
 4 Clear varnish against wear, sanded

Type	Frame size	Graduation number	Length meter	Measurement commencement	Tape commencement	Price
RADIUS case	517	21	1	010	X	X
	517	21	1	015	X	X
	517	21	1	020	X	X
	517	22	1	025	X	X
	517	22	1	030	X	X
	517	23	1	050	X	X
Replacement tapes	517	00	1	005	X	X
	517	00	1	010	X	X
	517	00	1	015	X	X
	517	00	1	020	X	X
	517	00	1	025	X	X
	517	00	1	030	X	X
	517	00	1	050	X	X

Please choose numbers and capital letters of desired tape features and transfer them to your order no.

Graduations:
 1 (cm)

Measurement commencements:
 A
 B
 C

Tape commencements (optional):
 F (FLEXTOP)
 HF (hooking flexible) surcharge
 I (measurement commencement B)
 J (measurement commencement C)
 M (metal ring)

<p>Weight 11 Brass, cylindrical, no graduation, length 170 mm, diameter 24 mm, weight 500 g (can be removed from the tape)</p> <p>Order No. 340 00 11</p>	<p>Weight 16 Stainless steel cylindrical, engraved mm scale on one and inch scale on the other side, length 113 mm, diameter 24 mm, weight 400 g (cannot be removed from the tape)</p> <p>Order No. 340 02 16</p>	<p>Weight 14 Brass cylindrical, engraved mm scale on one and inch scale on the other side, length 80 mm, diameter 24 mm, weight 300 g (cannot be removed from the tape)</p> <p>Order No. 340 02 14</p>	<p>Weight 10 Brass cylindrical, engraved mm scale on one and inch scale on the other side, length 89 mm, diameter 24 mm, weight 300 g (can be removed from the tape)</p> <p>Order No. 340 02 10</p>	<p>Weight 30 Brass cylindrical, torpedo-shaped ends, mm scale engraved on one side, length 153 mm, diameter 30 mm, weight 700 g (cannot be removed from the tape), suitable for calibration</p> <p>Order No. 340 02 30</p>	<p>Weight 31 according to IPM Standard Brass cylindrical, torpedo-shaped ends, mm scale engraved on one side, length 156 mm, diameter 30 mm, weight 700 g (can be removed from the tape)</p> <p>Order No. 340 02 31</p>	<p>Weight 476 Brass cylindrical, length 100 mm, diameter 45 mm, weight 660 g (cannot be removed from the tape), suitable for calibration</p> <p>see order overview at page 22</p>
---	---	--	---	---	---	--