

Dual Band Gigabit Router 1200

Revive your Broadband Internet connection!



The STRONG Dual Band Gigabit Router 1200 is based on the latest 802.11ac Wi-Fi standard.

There is no need to change your existing modem. Upgrade your home network within minutes and immediately improve your Wi-Fi network with a speed up to 1200 Mbit/s.

The 4 adjustable external antennas combined with 802.11ac advanced features will boost a wide, reliable and secure Wi-Fi coverage throughout your home.

Equipped with 4 Gigabit Ethernet ports, you can connect all wired devices in a fast and convenient way.

Reveal the maximum power of your smartphones, tablets, PCs, NAS, Smart TVs and game consoles, enabling you to seamlessly stream UHD videos or enjoy online games all around your home.

Wi-Fi Performance



- 802.11ac Wi-Fi standard
- Speed up to 1200 Mbit/s
- Dual band concurrent router
- 300 Mbit/s @ 2.4 GHz + 867 Mbit/s @ 5 GHz
- Bandwidth management for wired and wireless devices

Coverage & Reliability



- 4x adjustable external antennas for maximum coverage and reliability
- Beamforming to extend Wi-Fi coverage and improve reliability
- Connect & Secure button for an easy setup

Security



- WPA/WPA 2 for the highest level of Wi-Fi security
- Guest access to separate and secure access for guests
- Personal FTP server for a secure remote access
- Connect & Secure button for an optimum network security

Connections



- 4x GB Ethernet LAN ports to connect any wired device
- 1x GB Ethernet WAN port to connect to your modem
- 1x USB 3.0 port to share multimedia content and connect USB printer
- 1x Micro SD card slot to share multimedia content



Dual Band Gigabit Router 1200

Wi-Fi

Frequency 2.4 GHz and 5 GHz concurrent

Standards IEEE 802.11ac/n/a 5 GHz

IEEE 802.11n/g/b 2.4 GHz

Signal Rate 5 GHz: Up to 867 Mbit/s

2.4GHz: Up to 300 Mbit/s

WPA-Personal, WPA 2-Personal, Security WPA-Personal/WPA 2-Personal mixed

mode, MAC address filtering

Antenna 4x 5 dBi omnidirectional, adjustable

Transmit Power Europe: <20 dBm (2.4 GHz), <23 dBm (5 GHz)

Supported Channels: 5 GHz: 36, 40, 44, 48

2.4 GHz: 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13

Enable/Disable, Access control, WMM, STBC, Features LDPC, Transmit beamforming, Guest network

Hardware

CPU: Dual-core 880 MHz MIPS®

Ethernet Ports: 4x 10/100/1000 M LAN port (Auto MDI/MDIX)

1x 10/100/1000 M WAN port (Auto MDI/MDIX)

USB Port: 1x USB 3.0 port

Micro SD Card Slot: 1x Micro SD card slot supports up to 32 GB

Buttons: WPS, Reset

Power, 2.4 GHz Wi-Fi, 5 GHz Wi-LEDs:

Fi, WAN, LAN, WPS, USB

Power adapter: DC 12 V/1.5 A

Standards: IEEE 802.11ac/n/g/b/a, IEEE 802.3,

IEEE 802.3u, IEEE 802.3ab

Software

WAN Type: Dynamic IP, Static IP, PPPoE, PPTP, L2TP

DHCP: Server, DHCP Client list, Address reservation

WMM, IP Bandwidth management Quality of Service:

for wired and wireless devices

Port Forwarding: Virtual Server, DMZ, Port Triggering, UPNP

Dynamic DNS: DynDns, No-IP

Access Control: Internet Access Control, Client Access Control

Traffic Control: IP Bandwidth management SPI firewall, IP Address filter, URL Firewall & Security:

filter, IP and MAC address binding

Samba, FTP server, DLNA Media server, Print server

Management: Web User Interface, Access Control, Time Settings, Configuration Backup/

Restore, Firmware Upgrade, System Log

Internet Protocol:

Other specifications

Certification:

Packaging Content: Dual Band Gigabit Router 1200

1x Power adapter (12 V/ 1.5 A DC) 1x RJ45 Gigabit Ethernet cable Installation instructions, Warranty Card

Windows 7, 8, 8.1, 10, Mac OS System Requirements:

X, Linux, Internet Browser

Environment: Operating Temperature: 0°~+40°


Storage Temperature: -40°~+70° Operating Humidity: 10 %~90 % non-

Storage Humidity: 5 %~90 % non-condensing

Dimensions in mm

195 × 75 × 335 $(W \times D \times H)$:

Weight in kg: 0.46



EAN ROUTER1200: 8717185449846