

**RIDERSERIES RCL
SRC 2CO N**

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 16
 D-32758 Detmold
 Germany
 Fon: +49 5231 14-0
 Fax: +49 5231 14-292083
 www.weidmueller.com

Product image



Relay base for RIDERSERIES RCL relays

- Screw and tension clamp connection
- standard and low construction heights

General ordering data

Type	SRC 2CO N
Order No.	8693930000
Version	RIDERSERIES RCL, Relay bases, No. of contacts: 2 CO contact, Screw connection
GTIN (EAN)	4032248365418
Qty.	10 Stück

RIDERSERIES RCL SRC 2CO N

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 16
 D-32758 Detmold
 Germany
 Fon: +49 5231 14-0
 Fax: +49 5231 14-292083
 www.weidmueller.com

Technische Daten

Dimensions and weights

Width	15,5 mm	Width (inches)	0,61 inch
Height	77 mm	Height (inches)	3,031 inch
Depth	50 mm	Depth (inches)	1,969 inch
Net weight	41 g		

Temperatures

Humidity	40 °C / 93 % rel. humidity, no condensation	Operating temperature, max.	70 °C
Operating temperature, min.	-40 °C	Storage temperature, max.	70 °C
Storage temperature, min.	-40 °C	Operating temperature	-40 °C...70 °C
Storage temperature	-40 °C...70 °C		

Environmental Product Compliance

REACH SVHC Lead 7439-92-1

Rated data UL

Certificate No. (cURus) E223759

Contact data

Contact type 2 CO contact

General data

Version	flat design	Rail	TS 35
Colour	black		

Insulation coordination

Protection degree	IP20	Dielectric strength, Input/Output	2.5 kV _{eff} / 1 Min.
Dielectric strength of neighbouring contacts	2.5 kV _{eff} / 1 Min.		

Further details of approvals / standards

Standards UL508 Certificate No. (cURus) E223759

Connection data

Wire connection method	Screw connection	Tightening torque, min.	0,5 Nm
Tightening torque, max.	0,8 Nm	Blade size	size PH1
Pitch in mm (P)	5 mm		

Classifications

ETIM 3.0	EC001456	ETIM 4.0	EC001456
ETIM 5.0	EC001456	ETIM 6.0	EC001456
UNSPSC	30-21-19-17	eClass 5.1	27-37-16-03
eClass 6.2	27-37-16-03	eClass 7.1	27-37-16-03
eClass 8.1	27-37-16-03	eClass 9.0	27-37-16-03
eClass 9.1	27-37-16-03		

Erstellungs-Datum 3 de Setembro de 2019 11:19:54 CEST

Datenblatt**RIDERSERIES RCL
SRC 2CO N**

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 16
D-32758 Detmold
Germany
Fon: +49 5231 14-0
Fax: +49 5231 14-292083
www.weidmueller.com

Technische Daten**Approvals**

Approvals



ROHS

Conform

DownloadsApproval/Certificate/Document of
Conformity[DE_PA5600_160401_002.pdf](#)

Engineering Data

[EPLAN.WSCAD](#)