Viale Borri, 231 - 21100 VARESE - Italy
www.bticino.com

LIVING now

Fixed and movable covers

Cat. No(s): KW00 - KM00 - KG00 - KW01 - KM01 - KG01 - KW02 - KM02 - KG02 - KW03 - KV03 - KR03 - KM03 - KG03 - KW04 - KV04 KR04 - KM04 - KG04 - KW5 - KM5 - KG05 - KW06 - KM06 - KG06 - KW07 - KM07 - KG07 - KW08 - KM08 - KG08 - KW09 - KM09 - KG09 KW10 - KM10 - KG10 - KW11H - KM11H - KG11H - KW12C - KM12C - KG12C - KW14 - KM14 - KG14 - KW15 - KM15 - KG15 - KW16 KM16 KG16 - KW17 - KM17 - KG17 - KW33 - KM33 - KG33 - KW19 - KM19 - KG19 - KW22 - KM22 - KG22 - KW24 - KM24 - KG24 - KW30M2 KM30M2 - KG30M2 - KW31 - KM31 - KG31 -KW33M2 - KM33M2 - KG33M2 - KW40M2 - KM40M2 - KG40M2 - KW41M2 - KM41M2 KG41M2 - KW42 - KM42 - KG42 - KW43M2 - KM43M2 - KG43M2 - KW55F - KG55F - KM55F - KW25M2 KG25M2 - KM25M2 - KW08M2 KG08M2 - KM08M2 - KW26M2 - KG26M2 - KM26M2 - KW51 - KG51 - KM51 - KW52 - KG52 - KM52


K00


K01

1. USE

Fixed and movable covers Living Now.

2. RANGE

FIXED COVER - 1 Module	
Blank pole	☐ KW00 ▒ KM00 ■ KG00
Italian socket 10/16	☐ KW02 ▒ KM02 ■ KG02
RJ11/45	☐ KW07 ▒ KM07 ■ KG07
TV 1	☐ KW08 ▒ KM08 ■ KG08
TV 2	☐ KW09 ▒ KM09 ■ KG09
Connected socket module	☐ KW31 ▒ KM31 ■ KG31
USB charge	☐ KW10C ▒ KM10C ■ KG10C
USB data	☐ KW10P ▒ KM10P ■ KG10P
HDMI	☐ KW14 ▒ KM14 ■ KG14
Buzzer	☐ KW15 ▒ KM15 ■ KG15
IR	☐ KW16 ▒ KM16 ■ KG16
MUR & DND	☐ KW11H ▒ KM11H ■ KG11H

2. RANGE *(continued)*

FIXED COVER - 1 Module *(continued)*	
Transponder reader	☐ KW24 ▒ KM24 ■ KG24
FIXED COVER - 2 Modules	
P40 sockets	☐ KW03 - ▓ KV03 ▒ KM03 - ▓ KR03 ■ KG03
German / french socket	☐ KW04 - ▓ KV04 ▒ KM04 - ▓ KR04 ■ KG04
2 USB	☐ KW12C ▒ KM12C ■ KG12C
Buzzer 2m	☐ KW15M2 ▒ KM15M2 ■ KG15M2
Cover IR auto	☐ KW17 ▒ KM17 ■ KG17
Green switch + IR	☐ KW17SL ▒ KM17SL ■ KG17SL
Ksenia	☐ KW4275 - ☐ KW24 ▒ KM4275 - ☐ KW24 ■ KG4275 - ■ KW24
Gateway	☐ KW30M2 ▒ KM30M2 ■ KG30M2
French Belgian FLAT socket	☐ KW55F ▒ KM55F ■ KG55F
TV socket 2M	☐ KW25M2 - ▒ KM25M2 - ■ KG25M2 ☐ KW26M2 - ▒ KM26M2 - ■ KG26M2 ☐ KW08M2 - ▒ KM08M2 - ■ KG08M2
Socket 2m US / EU-US	☐ KW51 ▒ KM51 ■ KG51
Socket duplex US/ EU-US	☐ KW52 ▒ KM52 ■ KG52
FIXED COVER - 3 Modules	
Badge	☐ KW22 ▒ KM22 ■ KG22

Colours code:
☐ White ■ Black ▒ Sand ▓ Green ■ Red

Cat. No(s): *To refer page 1/1*

Fixed and movable covers

2. RANGE *(continued)*

MOBILE COVER - 1 Module	
Switch	☐ KW01 ▒ KM01 ■ KG01
Switch MH	☐ KW01MHAG ▒ KM01MHAG ■ KG01MHAG
Light symbol	☐ KW01A ▒ KM01A ■ KG01A
Bell symbol	☐ KW01D ▒ KM01D ■ KG01D
Key symbol	☐ KW01F ▒ KM01F ■ KG01F
Gen symbol	☐ KW01MHGEN ▒ KM01MHGEN ■ KG01MHGEN
Back home symbol	☐ KW01MHBACK ▒ KM01MHBACK ■ KG01MHBACK
Bed symbol	☐ KW01MHBED ▒ KM01MHBED ■ KG01MHBED
Jolly	☐ KW01X ▒ KM01X ■ KG01X
Shutter push botton	☐ KW05 ▒ KM05 ■ KG05
Shutter changeover	☐ KW06 ▒ KM06 ■ KG06
MUR & DND	☐ KW06H ▒ KM06H ■ KG06H
STOP	☐ KW06MH ▒ KM06MH ■ KG06MH
Dimmer MH	☐ KW19MH ▒ KM19MH ■ KG19MH
Basic dimmer	☐ KW19 ▒ KM19 ■ KG19
Smart dimmer	☐ KW33 ▒ KM33 ■ KG33
MOBILE COVER - 2 Modules	
Switch	☐ KW01M2 ▒ KM01M2 ■ KG01M2
Switch MH	☐ KW01MH2 ▒ KM01MH2 ■ KG01MH2
ON/OFF symbol MH	☐ KW01MH2AG ▒ KM01MH2AG ■ KG01MH2AG

2. RANGE *(continued)*

MOBILE COVER - 2 Modules *(continued)*	
Light symbol	☐ KW01M2A ▒ KM01M2A ■ KG01M2A
Light symbol MH	☐ KW01MH2A ▒ KM01MH2A ■ KG01MH2A
Bell symbol	☐ KW01M2D ▒ KM01M2D ■ KG01M2D
Bell symbol MH	☐ KW01MH2D ▒ KM01MH2D ■ KG01MH2D
Key symbol	☐ KW01M2F ▒ KM01M2F ■ KG01M2F
Key symbol MH	☐ KW01MH2F ▒ KM01MH2F ■ KG01MH2F
Gen symbol MH	☐ KW01MH2GEN ▒ KM01MH2GEN ■ KG01MH2GEN
Back symbol MH	☐ KW01MH2BACK ▒ KM01MH2BACK ■ KG01MH2BACK
Bed symbol MH	☐ KW01MH2BED ▒ KM01MH2BED ■ KG01MH2BED
Jolly	☐ KW01M2X ▒ KM01M2X ■ KG01M2X
Jolly MH	☐ KW01MH2X ▒ KM01MH2X ■ KG01MH2X
Shutter push botton	☐ KW05M2 ▒ KM05M2 ■ KG05M2
Shutter MH	☐ KW05MH2 ▒ KM05MH2 ■ KG05MH2
Dimmer MH	☐ KW19MH2 ▒ KM19MH2 ■ KG19MH2
Smart gen battery	☐ KW40M2 ▒ KM40M2 ■ KG40M2
Smart dimmer battery	☐ KW33M2 ▒ KM33M2 ■ KG33M2
Smart shutter battery	☐ KW43M2 ▒ KM43M2 ■ KG43M2
Smart switch battery	☐ KW42M2 ▒ KM42M2 ■ KG42M2
Smart WAKE UP/SLEEP battery	☐ KW41M2 ▒ KM41M2 ■ KG41M2

Colours code:
☐ White ■ Black ▒ Sand

Cat. No(s): *To refer page 1/1*

Fixed and movable covers

3. OVERALL DIMENSIONS (mm)

■ **Cover 1 module** - (K00)



■ **Cover 2 modules** - (K04)



■ **Cover 3 modules** - (K22)



Cover	A	B	C
1 M	86	22	7
2 M	86	45	7
3 M	86	67	7

4. TECHNICAL CHARACTERISTICS

■ **4.1 Mechanical characteristics**
Impact test: IK 04

■ **4.2 Material characteristics**
Halogen-free
UV resistant

Self-extinguishing:
650°C/30 s for the other insulating components.

■ **4.3 Climatic characteristics**
Storage temperature: - 10°C to + 70°C
Use temperature: - 5°C to + 50°C

5. CLEANING

Surface cleaning with a cloth.
Do not use: acetone, tar remover, trichloroethylene.

Caution: A preliminary test should be carried out if other specific cleaning products are to be used.