

ORT HOS

inclusive solutions
MOBILITY

MOBILITY


Robustness
Modularity
Customization





ORTHOS

XXI
e u r o p e a n
i n c l u s i v e s o l u t i o n s



VALUE

We are driven by the conviction that, with our work, we contribute daily to improve the quality of life and to satisfy the needs of the users of our products and services. We prioritize an attitude of teamwork, flexibility and continuous improvement. We consider fundamental a constant investment in innovation and development of the products, currently counting on a team dedicated exclusively to this purpose.

These values support the presentation, in this new catalog, of some of the most recently developed novelties and, at the same time, to respond to the personalized needs of the users.

HISTORY

Orthos XXI originated from Conrado Dias Lda., a company founded in 1975 in Porto, Portugal.

In 1985, with great support from the owners Mr. Dias and Mrs. Marília, that the Mr. Ribeiro and Mrs. Zilda, decide to give continuity to the business of production and commercialization of walking aids, with the name of Ortomaia, thus concretizing an old aspiration of the Sñr. Ribeiro owning a business. This new company has the assiduous collaboration of Manuel and Luisa and with the timely help of their other children, thus naturally involving the whole family in the process. The bases that make up the current dynamic of Orthos XXI were launched, based on values of affection and proximity among all generations of collaborators.

Together with the production activity, the distribution of products from national and international companies of great importance in the Sector is included in its portfolio.

In 1989, a wheelchair production unit was acquired and integrated, giving rise to two independent and distinct production units, but with joint commercialization.

In 1996 it was necessary to expand, integrate and fully optimize the business, so it was built in Guimarães, a new warehouse with twice the area to accommodate all the aspects of the business. With a view to the expansion and evolution of the activity, in 2007 Several decisive steps are taken:

A process of professionalization of management begins by separating the shareholder structure from the management structure, thus formally creating Orthos XXI.

A production unit for Geriatric and Hospital beds was installed and the facilities for the double were expanded again.

Direct participation in the Spanish market began, creating a commercial structure, OrthosMaia XXI, in Spain.

They initiate and develop several commercial actions to expand and develop new markets and new businesses.

In 2012, a consolidation and product development department was created, which, together with the continuous improvement of the Organization, has allowed the product range to be substantially expanded.

In 2017/18 Orthos XXI, reformulates its marketing and commercial strategy, organizing its product portfolio in ten brands. We have a base with a productive DNA that allows us to continue production in Europe and a brand-oriented trade strategy to be able to face the competition of multinationals and Asian importers.

QUALITY

The quality of the ORTHOS XXI products can be confirmed in the best hospitals and institutions, where they have chosen us. Most of our products are class I medical devices and bear the CE mark, according to the Community Directives 93/42/CEE and 2007/47/CE and are registered in the competent Authority, Infarmed. They are tested by accredited and independent entities, such as the IBV (Institute of Biomechanics of Valencia, in Spain). The company is also certified according to the EN ISO 9001 standard.

The value and qualification of human resources through the implementation of activity is training and updating in different areas have been strong bets of our company. ORTHOS XXI's main concern is the continuous improvement of production processes and services, as well as the improvement of the quality of its products, which allows us to better meet the needs and requirements of customers and users.



MANUAL STEEL WHEELCHAIRS

Celta Compact 3, Celta, Celta Evolution, Celta Bed, Celta Command, Celta Recoil, Peninsular, Lusa, Ibera, Accesorios & Opciones

pag 5-15

MANUAL ALUMINUM WHEELCHAIRS

Latina Compact, Latina, Latina Advance, Ativa Invictus, Ativa Sioux

pag 17-21

POSITIONING WHEELCHAIRS

Caribe, Caribe Advance

pag 23-25

POWER WHEELCHAIRS

Azteca, Inca, Inca Plus, Vicking, Vicking Advance, Vicking Suspension

pag 27-31

SCOOTERS

Liberty, Eco, Compact Deluxe, Extra, XXL

pag 33-34

OTHER SOLUTIONS

Maia, Plane, Auxiliary Motor

pag 36-37

INTERIOR WHEELCHAIRS

Commode, Comfort Light, Andalus Fix, Andalus Foldable, Andalus Recline, Comfort Plus

pag 39-42





CELTA COMPACT 3 Pag 06

CELTA Pag 07

CELTA EVOLUTION Pag 08

CELTA BED Pag 09

CELTA COMMAND Pag 10

CELTA RECOIL Pag 10

PENINSULAR Pag 11

LUSA Pag 12

IBERA Pag 13

CELTA COMPACT 3



CELTA COMPACT 3, a resistant and functional wheelchair made of steel. Structure in blue with black upholstery. Removable and reversible armrests so the user can have more freedom in movement. Removable and height adjustable footrests. Ø25mm tubes and triple cross bar for enhanced robustness. Solid back wheels with nylon rims and Ø600mm or Ø300mm (transit).



51 CD C3 2 NO 43 NM

CELTA COMPACT3 43 (600mm spokes / 200mm solid)

TECHNICAL CHARACTERISTICS



Triple cross bar



Removable footrest




Removable armrests

CELTA COMPACT 3

Colour - structure	blue
Colour - upholstery	black
Available sizes	40/43/46cm
Front wheels - solid	Ø200mm
Back wheels - solid	Ø600mm/Ø300mm
Rear rims	nylon
Weight without desmountable components	11kg/12,2kg

MEASUREMENTS

in cm/kg- tolerance +/-1



	40	61	32	92	72	51	41	101	83	42	150	14,6
CELTA COMPACT 3 40	40	61	32	92	72	51	41	101	83	42	150	14,6
CELTA COMPACT 3 43	43	64	32	92	72	51	41	101	83	42	150	14,8
CELTA COMPACT 3 46	46	67	32	92	72	51	41	101	83	42	150	15,0
CELTA COMPACT 3 TRANSIT 40	40	56	31	92	72	49	41	94	76	42	150	12,4
CELTA COMPACT 3 TRANSIT 43	43	59	31	92	72	49	41	94	76	42	150	13,6
CELTA COMPACT 3 TRANSIT 46	46	62	31	92	72	49	41	94	76	42	150	13,8



CELTA, wheelchair with attractive and flexible design, modern and robust structure. Ø25mm tubes and triple cross bar for extra robustness. Removable armrest with an attractive and flexible design. Removable and height adjustable footrest. Ø600mm rear wheels with quick release (except size 50) for easy transport. See accessories and options.



51 CD CE 2 NO 40 NM
CELTA 40 (600mm nylon solid / 200mm solid)

CELTA

- Colour - structure: grey
- Colour - upholstery: black
- Available sizes: 37/40/43/46/50cm
- Front wheels - solid: Ø200mm
- Back wheels - solid/pneumatic: Ø300mm/ Ø600mm
- Rear rims: spokes/nylon
- Weight without desmountable components: 8,6kg

TECHNICAL CHARACTERISTICS



Foldable




Triple cross bar



Wheels Ø300mm

MEASUREMENTS

in cm/kg- tolerance +/-1



Model	Seat Height	Seat Width	Seat Depth	Wheelchair Height	Wheelchair Width	Wheelchair Depth	Seat Height (Folded)	Wheelchair Weight	Seat Weight	Backrest Weight	Armrest Weight	Footrest Weight
CELTA 37	37	57	28	93	73	51	41	100	78	42	150	15,9
CELTA 40	40	60	28	93	73	51	41	100	78	42	150	16,2
CELTA 43	43	63	28	93	73	51	41	100	78	42	150	16,4
CELTA 46	46	66	28	93	73	51	41	100	78	42	150	16,6
CELTA 50	50	69	28	93	73	51	41	100	78	42	150	16,8
CELTA TRANSIT 37	37	54	30	93	73	51	41	88	66	42	150	14,2
CELTA TRANSIT 40	40	57	30	93	73	51	41	88	66	42	150	14,4
CELTA TRANSIT 43	43	60	30	93	73	51	41	88	66	42	150	14,6
CELTA TRANSIT 46	46	63	30	93	73	51	41	88	66	42	150	14,8
CELTA TRANSIT 50	50	66	30	93	73	51	41	88	66	42	150	15,0

CELTA EVOLUTION



51 CD CV 2 NO 40 EM

CELTA EVOLUTION 40 (600mm spokes solid / 200mm solid)

CELTA EVOLUTION is a manual steel wheelchair with attractive design, functionality and robustness. Suitable for users with general mobility decrease, it is a sturdy and durable chair, practical to use on a day-to-day basis. In addition, it allows various configurations and the inclusion of a wide range of accessories to better adjust to the condition of the user, over time. Reinforced structure with tubes of 25mm diameter and triple cross for greater resistance. Folding armrests support for easy transfer. Height-adjustable footrests with bilateral opening. Fire resistant upholstery in accordance with EN 1102: 1995. Rear wheels 600mm with aluminum rim, pneumatic or solid. Nylon or spoke rims. Solid 200x30mm front wheels (option: pneumatic wheels 200x50mm). Easy to carry, easy to attach and has quick release of rear wheel (exception: size 50 has no quick release). Seat width: 370, 400, 430, 460mm. Maximum user weight: 150 kg.

CELTA EVOLUTION

Colour - structure	red
Colour - upholstery	black
Available sizes	40/43/46cm
Front wheels - solid	Ø200mm
Back wheels	Ø600mm
Rear rims	spokes/nylon
Weight without desmountable components	8,6kg



MEASUREMENTS

in cm/kg- tolerance +/-1

CELTA EVOLUTION 40	40	62	28	92	71,5	51	43,5	105	81	42	150	16,5
CELTA EVOLUTION 43	43	65	28	92	71,5	51	43,5	105	81	42	150	16,5
CELTA EVOLUTION 46	46	68	28	92	71,5	51	43,5	105	81	42	150	16,5

Suitably reinforced to provide the user the comfort of a chair with bed function with smooth and safe pistons for manual recline. Nylon upholstery. Armrests removable and reversible. with reclining backrest from 93° to 150° and elevating legrests, allows the user to put up in full position, comfortably. See accessories and options.



51 CD CE 2 CM 40 EM
CELTA Bed 40 (600mm spokes solid/200mm solid)

CELTA BED

Colour - structure	grey
Colour - upholstery	black
Available sizes	37/40/43/46/50cm
Front wheels - solid	Ø200mm
Back wheels - solid/pneumatic	Ø600mm/Ø300mm
Rear rims	spokes
Weight without desmountable components	20kg

TECHNICAL CHARACTERISTICS



Reclining system



Removable headrest




Triple cross bar



Elevating footrests

MEASUREMENTS

in cm/kg- tolerance +/- 1



Model	Seat Width	Seat Depth	Seat Height	Backrest Height	Backrest Width	Wheel Width	Wheel Diameter	Weight
CELTA BED 37	37	57	110-125	73	51	58(+15)	125-150	90
CELTA BED 40	40	60	110-125	73	51	58(+15)	125-150	90
CELTA BED 43	43	63	110-125	73	51	58(+15)	125-150	90
CELTA BED 46	46	66	110-125	73	51	58(+15)	125-150	90
CELTA BED 50	50	69	110-125	73	51	58(+15)	125-150	90
CELTA BED TRANSIT 37	37	54	110-125	73	51	58(+15)	125-150	90
CELTA BED TRANSIT 40	40	57	110-125	73	51	58(+15)	125-150	90
CELTA BED TRANSIT 43	43	60	110-125	73	51	58(+15)	125-150	90
CELTA BED TRANSIT 46	46	63	110-125	73	51	58(+15)	125-150	90
CELTA BED TRANSIT 50	50	66	110-125	73	51	58(+15)	125-150	90

CELTA COMMAND



With the structural characteristics of CELTA, this is the solution for driving with only one hand. Dual wheel for easy pulling and driving single handed. Suitable for hemiplegic users.

CELTA COMMAND


Colour - structure	grey
Colour - upholstery	black
Available sizes	37/40/43/46/50cm
Front wheels - solid	Ø200mm
Back wheels - pneumatic	Ø600mm
Rear rims	spokes
Weight without desmountable components	15,1kg

51 CD CE 2 CO 40 ED D

CELTA Command right 40 (600mm pneumat/200mm solid)

MEASUREMENTS

in cm/kg- tolerance +/-1



CELTA COMMAND 37	37	67	28	92	72	45	43	101	78	42	125	17,5
CELTA COMMAND 40	40	60	28	92	72	45	43	101	78	42	125	17,7
CELTA COMMAND 43	43	63	28	92	72	45	43	101	78	42	125	17,9
CELTA COMMAND 46	46	66	28	92	72	45	43	101	78	42	125	18,1
CELTA COMMAND 50	50	69	28	92	72	45	43	101	78	42	125	18,3

CELTA RECOIL



With CELTA RECOIL, the center of gravity is behind to allow proper balance, for example for an amputee. Two possible points of recoil (10 and 15cm) from the normal axle. See accessories and options.

CELTA RECOIL

Color - estructura	grey
Colour - upholstery	black
Available sizes	37/40/43/46/50cm
Front wheels - solid	Ø200mm
Back wheels - pneumatic	Ø600mm
Rear rims	spokes
Weight without desmountable components	15,5kg

51 CD CE 2 ER 40 ED

CELTA Eje Retrasado 40 (rd 600 hinchabl/200 maciz)

MEASUREMENTS

in cm/kg- tolerance +/-1



CELTA RECOIL 37	37	59	28	92	72	51	40	110/115	88/93	42	150	17,5
CELTA RECOIL 40	40	62	28	92	72	51	40	110/115	88/93	42	150	17,7
CELTA RECOIL 43	43	65	28	92	72	51	40	110/115	88/93	42	150	17,9
CELTA RECOIL 46	46	68	28	92	72	51	40	110/115	88/93	42	150	18,1
CELTA RECOIL 50	50	71	28	92	72	51	40	110/115	88/93	42	150	18,3



51 CD PN 2 NO 54 ED

PENINSULAR 54 (radios 600mm pneumatic/200mm solid)

PENINSULAR

Colour - structure	grey
Colour - upholstery	black
Available sizes	37/40/43/46/50cm
Front wheels - solid	Ø200mm
Back wheels - pneumatic	Ø600mm/ Ø300mm
Weight without desmountable components	17kg

Because not all have the same size! PENINSULAR offers the user an adaptable wheelchair to your size and even more adaptable to your needs. With reinforced triple cross bar and upholstery for robustness. Allows to apply all CELTA accessories range making it a great adaptable chair, for large sizes, large solutions. With capacity up to 160kg. We manufacture customized according to the size and weight of the user's size and weight. Check also our bariatric line (up to 250kg). See accessories and options.



Wider footrests



Detachable armrests



Reinforced triple cross bar




Foldable



Parking brake

MEASUREMENTS

in cm/kg- tolerance +/-1



	54	74	28	92	72	51	41	100	78	42	160	19,0
PENINSULAR 54	54	74	28	92	72	51	41	100	78	42	160	19,0
PENINSULAR 58	58	78	28	92	72	51	41	100	78	42	160	20,0
PENINSULAR TRANSIT 54	54	71	30	92	72	51	41	94	72	42	160	17,3
PENINSULAR TRANSIT 58	58	75	30	92	72	51	41	94	72	42	160	18,3



LUSA has quick release in the rear wheels, easy for transport; with transfer castors suitable for small indoor spaces. Because you deserve to feel good wherever you are, it includes an anatomical memory foam seat.

See accessories and options.



51 CD LU W NO 40 ED

LUSA 40 (spokes 600/200mm pneumatic) Anatómic seat

TECHNICAL CHARACTERISTICS



LUSA

Colour - structure	grey
Colour - upholstery	black
Available sizes	40/43/46cm
Front wheels - solid	Ø200mm
Back wheels - pneumatic	Ø600mm
Castors	Ø75mm
Rear rims	spokes
Weight without desmountable components	10kg

MEASUREMENTS

in cm/kg- tolerance +/-1

	40	43	46	Seat height	Seat depth	Seat width	Backrest height	Wheelchair height	Wheelchair width	Wheelchair depth	Weight	Weight
LUSA 40	40	51-59	29	92	72	51	42	94/100	78	42	150	17,5
LUSA 43	43	54-62	29	92	72	51	42	94/100	78	42	150	17,7
LUSA 46	46	57-65	29	92	72	51	42	94/100	78	42	150	17,9

IBERA was designed to be adaptable to the needs of each individual. Ø25mm tubes and triple cross bar for extra robustness. The partial tensioning bands at the backrest and the suspension system in the structure provide additional comfort. Ø200mm solid front wheels (Option: pneumatic) and Ø600mm or solid rear wheels with quick release, also available Ø300mm solid rear wheels. Simple, lightweight, and versatile.



51 CD IB 2 NO 39 EM
IBERA 39 (600mm spokes solid / 200mm solid)

IBERA

Colour - structure	white
Colour - upholstery	black
Available sizes	39/42/45cm
Front wheels - solid	Ø200mm
Back wheels - solid/pneumatic	Ø600mm/Ø300mm
Rear rims	spokes/nylon
Weight without desmountable components	10,2kg/11,8kg

TECHNICAL CHARACTERISTICS



Suspension system



Triple cross bar



Bag



Foldable




Detachable armrests



Tension adjustable back

MEASUREMENTS

in cm/kg- tolerance +/-1



IBERA 39	39	60	31	92	72	52	39	102	78	42	150	17,2
IBERA 42	42	63	31	92	72	52	39	102	78	42	150	17,4
IBERA 45	45	65	31	92	72	52	39	102	78	42	150	17,6
IBERA TRANSIT 39	39	57	33	92	72	52	39	96	72	42	150	15,4
IBERA TRANSIT 42	42	60	33	92	72	52	39	96	72	42	150	15,6
IBERA TRANSIT 45	45	62	33	92	72	52	39	96	72	42	150	15,8

ACCESSORIES & OPTIONS

Headrest



Headrest



U shape headrest



Contoured headrest



Back stretcher

Armrests



Height adjust. armrests



Long armrests



Simple folding armrests



Complete folding armrests

Footrests



Leg rest



Elevating legrests



Aluminum footrests



One-piece footrest

Back and Seat



PU cover lateral support comfort back



3D cover lateral support comfort back



Shoulder support comfort back



Lumbar support comfort back



Lumbar support soft back



Comfort back 100mm extension



Comfort back 200mm extension



Rigid back



Adjust. total tensioning back 3D cover



Folding back



Reclining back (gas piston)



Reclining back (manual)



Adjust. partial tensioning back



Rigid seat

ACCESSORIES & OPTIONS



Anatomic sanitary seat



ABS sanitary seat



Soft seat 70mm cushion 3D cover



Soft seat 70mm cushion PU cover



Soft seat 80mm cushion 3D cover



Soft seat 80mm cushion PU cover

Wheels



Pneumatic front wheels



Solid front wheels



300mm pneumatic rear wheel



300mm solid rear wheel



600mm rear pneum spokes wheel



600mm rear pneum. nylon wheel



600mm rear solid nylon wheel



Rim with 8 supports



Anti-tipping wheels



Transfert kit

Others



Amputee support



Attendant's brake



Serum support



Trunk support



Abductor



Rain coat



Safety belt



Oxygen support



Acrilic board



Wood board

MANUAL ALUMINUM WHEELCHAIRS

LATINA COMPACT

Pag 17

pag 17-21

LATINA

Pag 18

LATINA ADVANCE

Pag 19

ATIVA INVICTUS

Pag 20

ATIVA SIOUX

Pag 21

LATINA COMPACT



LATINA COMPACT, lightweight and compact aluminium wheelchair with triple cross bar. White or grey structure and black upholstery. Other upholstery colour options: lilac, pistachio, dark green and cream (additional cost). Folding armrest; detachable and height adjustable foot rest. In 3 sizes, 40, 43 and 46cm with quick release Ø600mm (spokes rims) and Ø300mm (transit) wheels.



51 CD LC 2 NO 40 EM

LATINA COMPACT 40 (600mm spokes solid/200mm solid)

LATINA COMPACT

Colour - structure	white, grey
Colour - upholstery	lilac, pistachio, dark green, cream
Available sizes	40/43/46cm
Front wheels - solid	Ø200mm
Back wheels - pneumatic	Ø600mm/Ø300mm
Rear rims	spokes
Weight without desmountable components	7,4kg

TECHNICAL CHARACTERISTICS



Foldable



Adjustable footrests



Folding armrests



Cream



Lilac




Pistachio



Dark green

MEASUREMENTS

in cm/kg- tolerance +/-1



LATINA COMPACT 40	40	58	29	92	72	51	41	106	83	42	125	12,0
LATINA COMPACT 43	43	60	29	92	72	51	41	106	83	42	125	12,1
LATINA COMPACT 46	46	63	29	92	72	51	41	106	83	42	125	12,2
LATINA COMPACT TRANSIT 40	40	58	29	92	72	51	41	97	76	42	125	14,0
LATINA COMPACT TRANSIT 43	43	60	29	92	72	51	41	97	76	42	125	14,1
LATINA COMPACT TRANSIT 46	46	63	29	92	72	51	41	97	76	42	125	14,2

LATINA



51 CD LA 2 NO 40 EM

LATINA 40 (600mm spokes solid / 200mm solid)

LATINA, lightweight aluminium wheelchair with triple cross bar and an attractive design. White or grey structure and black upholstery. Folding armrest (option: removable) and detachable and height adjustable foot rest, detachable. Available in 5 sizes, 37, 40, 43, 46 and 50cm with Ø600mm (spokes rims) with quick release (except size 50cm) or Ø300mm(transit) wheels. Upholstery colour options: lilac, pistachio, dark green and cream. See accessories and options.

LATINA

Colour - structure	white, grey
Colour - upholstery	black, lilac, pistachio, dark green, cream
Available sizes	37/40/43/46/50cm
Front wheels - solid	Ø200mm
Back wheels	Ø600mm/Ø300mm
Rear rims	spokes
Weight without desmountable components	7,6kg/13,1kg



Foldable



Adjustable footrests




Folding armrests



MEASUREMENTS

In cm/kg - tolerance +/- 1



	37	40	43	46	50	TRANSIT 37	TRANSIT 40	TRANSIT 43	TRANSIT 46	TRANSIT 50	Weight	Weight
LATINA 37	37	57	30	93	72	51	41	100	77	42	125	12,4
LATINA 40	40	60	30	93	72	51	41	100	77	42	125	12,5
LATINA 43	43	63	30	93	72	51	41	100	77	42	125	12,6
LATINA 46	46	66	30	93	72	51	41	100	77	42	125	12,7
LATINA 50	50	70	30	93	72	51	41	100	77	42	125	12,8
LATINA TRANSIT 37	37	54	30	93	72	51	41	96	70	42	125	13,9
LATINA TRANSIT 40	40	57	30	93	72	51	41	96	70	42	125	14,0
LATINA TRANSIT 43	43	60	30	93	72	51	41	96	70	42	125	14,1
LATINA TRANSIT 46	46	63	30	93	72	51	41	96	70	42	125	14,2
LATINA TRANSIT 50	50	67	30	93	72	51	41	96	70	42	125	14,3

LATINA ADVANCE



51 CD LD 2 NO 40 ED

LATINA ADVANCE 40 (spokes 600 pneumatic/150 solid)

LATINA ADVANCE

Colour - structure	white
Colour - upholstery	black
Available sizes	37/40/43/46/50cm
Front wheels - solid	Ø200mm
Back wheels - solid	Ø600mm/Ø300mm
Rear rims	spokes
Weight without desmountable components	9,2kg

LATINA ADVANCE, height and depth adjustable aluminium wheelchair with Ø25mm tubes and triple crossbar for robustness. White structure and black upholstery. Colour options: lilac, pistachio, cream and dark green. Height and depth adjustable armrests. Removable footrests with bilateral opening. Height adjustable backrest with tensioning bands and depth adjustable seat. Folding backrest (option) reducing the overall size of the chair when folded for easy transport and storage. Available in 5 sizes, 37, 40, 43, 46 and 50cm with Ø600mm (spokes rims) with quick release (except size 50cm) or Ø300mm(transit) wheels. See accessories and options.



Folding back (option)



Adjustable seat depth



Lower back tension bands




Seat belt (accessory)



Adjustable

MEASUREMENTS

In cm/kg - tolerance +/- 1



	37	40	43	46	50	37	40	43	46	50	37	40	43	46	50	37	40	43	46	50	37	40	43	46	50
LATINA ADVANCE 37	37	57	30	92	68-76	51	41	103	82	42	125	????													
LATINA ADVANCE 40	40	60	30	92	68-76	51	41	103	82	42	125														
LATINA ADVANCE 43	43	63	30	92	68-76	51	41	103	82	42	125														
LATINA ADVANCE 46	46	66	30	92	68-76	51	41	103	82	42	125														
LATINA ADVANCE 50	50	70	30	92	68-76	51	41	103	82	42	125														
LATINA ADVANCE TRANSIT 37	37	54	30	92	68-76	51	41	96	75	42	125														
LATINA ADVANCE TRANSIT 40	40	57	30	92	68-76	51	41	96	75	42	125														
LATINA ADVANCE TRANSIT 43	43	60	30	92	68-76	51	41	96	75	42	125														
LATINA ADVANCE TRANSIT 46	46	63	30	92	68-76	51	41	96	75	42	125														
LATINA ADVANCE TRANSIT 50	50	67	30	92	68-76	51	41	96	75	42	125														

ATIVA INVICTUS



51 CD SA 2 NO 40 ED

ATIVA INVICTUS 40 (spokes 600mmpneumatic/100mmsolid)

ATIVA INVICTUS, resistant and functional Ø25mm tubes and triple cross bar wheelchair made of aluminium. Structure with height and depth adjustments. Height and tension adjustable upholstery, with memory foam and 3D cover. Height adjustable independent foot rests. Pneumatic back wheels with quick release for easy storage and transport. See accessories and options.

ATIVA INVICTUS

Colour - structure	red, blue, white
Colour - upholstery	black
Available sizes	37/40/43/46cm
Front wheels - solid	Ø150mm
Back wheels - solid	Ø600mm
Rear rims	spokes
Weight without desmountable components	9,6kg



Adjustable back



Armrests (option)



Side pannels



Adjustable depth



Easy storage

MEASUREMENTS

in cm/kg- tolerance +/-1



ATIVA INVICTUS 40	40	58	30	89-99	73	51	34-44	91	42-44	125	9,6
ATIVA INVICTUS 43	43	61	30	89-99	73	51	34-44	91	42-44	125	9,6
ATIVA INVICTUS 46	46	64	30	89-99	73	51	34-44	91	42-44	125	9,6



51 CD SI 2 NO 40 ED

ATIVA SIOUX 40 (spokes 600mmpneumatic/100mmsolid)

ATIVA SIOUX

Colour - structure	grey, black, blue, red
Colour - upholstery	black
Available sizes	40/43/46cm
Front wheels - solid	Ø100mm
Back wheels - solid	Ø600mm
Rear rims	spokes

ATIVA SIOUX, active and light wheelchair made of aluminium (weight without wheels: 7,2Kg). Rigid chassis, resistant and functional. Height and depth adjustments. Solid back and seat. Back and seat memory foam cushions for maximum comfort. Foldable backrest, angle adjustable. Height, depth and angle adjustment of the seat. One piece footrest height adjustable. Side panels. Pneumatic 600mm rear wheels with quick release and spoke rims allows easy storage and transport. 100mm solid front wheels. Seat width: 37, 40, 43, 46, 50cm. Maximum user weight: 125Kg.



Adjustable to the user



Folding backrest



Ergonomic



Easy storage

MEASUREMENTS

in cm/kg- tolerance +/-1



	1	2	3	4	5	6	7	8	9	10	11	12
ATIVA SIOUX 40	40	58	30	89-99	73	51	34-44	91	42-44	125	9,6	
ATIVA SIOUX 43	43	61	30	89-99	73	51	34-44	91	42-44	125	9,6	
ATIVA SIOUX 46	46	64	30	89-99	73	51	34-44	91	42-44	125	9,6	

CARIBE

Pag 23

pag 23-25

CARIBE ADVANCE

Pag 24



CARIBE



CARIBE, positioning chair that provides maximum adaptability to the user needs. Made of steel, with pneumatic recline (89° to 114° or 96° to 120°) and tilt (0° a 30° or - 5° a 25°). Ensures correct positioning and user 's safety. Height adjustable rigid back with Comfort Back lateral cushion. The seat is adjustable in depth (400mm to 500mm), width (up to 5cm) and angle with Comfort Seat cushion. Height adjustable handles. Height and depth adjustable armrests, elevating footrests and anti-tipping wheels. U shape headrest adjustable in height and angle. Option: manual tilt and recline; Ø300mm or Ø600mm back wheels. Wide range of accessories and options.



51 CD PO CR 40
CARIBE 40

TECHNICAL CHARACTERISTICS



Anti tipping wheels



Headrest



Rigid backrest



Elevating footrests



Rigid seat

CARIBE

- Colour - structure
white, grey
- Colour - upholstery
black
- Available sizes
40/43/46/50cm
- Front wheels - solid
Ø200mm
- Back wheels - solid
Ø600mm/Ø300mm
- Rear rims
spokes/nylon
- Weight without desmountable components
32,5kg
- Seat's depth adjustment
40-50cm
- Recline
89° - 114° (mechanical)/96° - 120° (pneumatic)
- Pneumatic tilt
0° - 30° / -5° - 25°

MEASUREMENTS

in cm/kg - tolerance +/-1



	1	2	3	4	5	6	7	8	9	10	11	12	13
CARIBE 40	40	58/66	110-129	66-78	47-51	55-70	104-114	90	40-45	96°-120°	0°-30°	150	40,5
CARIBE 43	43	58/66	110-129	66-78	47-51	55-70	104-114	90	40-45	96°-120°	0°-30°	150	40,5
CARIBE 46	46	61/66	110-129	66-78	47-51	55-70	104-114	90	40-45	96°-120°	0°-30°	150	40,5
CARIBE 50	50	65/67	110-129	66-78	47-51	55-70	104-114	90	40-45	96°-120°	0°-30°	150	40,5



51 CD PO CR 40 50
CARIBE ADVANCE

CARIBE ADVANCE

Colour - structure	grey, white
Colour - upholstery	black
Available sizes	40/43/46/50cm
Front wheels - solid	Ø200mm
Back wheels	Ø300mm/Ø400mm/Ø600mm
Rear rims	spokes/nylon
Weight without desmountable components	33kg
Seat's depth adjustment	40-50cm
Adjustable seat's width	40-50cm
Recline pneumatic	89° - 114°/96° - 120°
Pneumatic tilt	0° - 30°/-5° - 25°

TECHNICAL CHARACTERISTICS



Adjustable armrests



Headrest



Anti tipping wheels



Elevating footrests



Attendant's drum brake



Parking brake

CARIBE ADVANCE positioning wheelchair adjustable to the user needs, providing numerous points of attachment to the seat and backrest.

Made of steel, with pneumatic recline (0° to 30° or - 5° to 25°) and tilt (89° to 114° or 96° to 120°). Also available with mechanic tilt and recline. Fully modular seating system with adjustable and separate plates allowing extensive adjustments in width, depth and height.

Height adjustable rigid back plate with 2 tension lower back straps with lateral Comfort Back cushion. Adjustable rigid seat, in depth (from 400mm to 500mm), width (400mm to 500mm) and angle (1° to 30° or - 5° to 25°) with Comfort Seat cushion. Several options available for seat and backrest cushions. Height adjustable handles and transport kit with 4 fixation points for transport.

Equipped with Ø400mm solid rear wheels and Ø200mm front solid wheels. Parking and attendant 's brakes. T shape armrests adjustable in height and depth with Comfort pad. Elevating footrests with side opening and depth adjustment (50mm). Adjustable and removable anti-tipping wheels. U shape headrest adjustable in height, angle and depth. Wide range of accessories and options available.



Foldable




Rigid backrests with tension back straps



Adjustable rigid seat

MEASUREMENTS

in cm/kg- tolerance +/-1



CARIBE ADVANCE 40	40-50	58/66	110-129	66-78	47-51	55-70	104-114	90	40-45	89°-114°	0°-30°	150	41
CARIBE ADVANCE 43	40-50	58/66	110-129	66-78	47-51	55-70	104-114	90	40-45	89°-114°	0°-30°	150	41
CARIBE ADVANCE 46	40-50	61/66	110-129	66-78	47-51	55-70	104-114	90	40-45	89°-114°	0°-30°	150	41
CARIBE ADVANCE 50	40-50	65/67	110-129	66-78	47-51	55-70	104-114	90	40-45	89°-114°	0°-30°	150	41

AZTECA

Pag 27

INCA

Pag 28

INCA PLUS

Pag 28

pag 27-31

VICKING

Pag 29

VICKING ADVANCE

Pag 30

VICKING SUSPENSION

Pag 31



AZTECA is plain and robust, comfortable and stable. The control commands integrate the most modern technology, with attractive and ergonomic design. The motors enable an easy and smooth drive. The tension regulating straps at the back provide additional comfort. Removable armrests and height adjustable and removable footrests. The batteries boxes are removable for ease of transport. With anti-tippers. Very compact dimensions for easy manoeuvrability. See accessories and options.



51 CD EL 2 AZ 40 AP
AZTECA (40)

AZTECA

Colour - structure	white
Colour - upholstery	black
Available sizes	40/43/46cm
Front wheels - pneumatic	Ø200mm
Back wheels - pneumatic	Ø300mm
Rear rims	nylon
Maintenance free AGM batteries	12V 42AH
Batteries charger	24V 5A
Motor	180W/200W
Autonomy	25km*
Maximum speed forward	6km/h*
Maximum speed reverse	3km/h*

TECHNICAL CHARACTERISTICS



Anti-tipping wheels



Tension adjustable backrest



Memory foam seat




Adjustable footrests



Joystick

MEASUREMENTS

in cm/kg - tolerance +/-1



AZTECA 40	40	59	38	92	72	52	41	106	84	42	92	125	67
AZTECA 43	43	61	41	92	72	52	41	106	84	42	92	125	67
AZTECA 46	46	64	44	92	72	52	41	106	84	42	92	125	67

INCA



51 CD EL IN 49 AP
INCA 49

The new electric chair INCA offers an attractive design and state-of-the-art technology. Extremely compact and lightweight. Seat cushion and back lined with breathable 3D fabric. Lower support for placement of belongings. Motors and batteries built into the leg structure. Lithium batteries (24V/10Ah) are characterized by lightness and durability. It is suitable for use in doors and narrow sidewalks. Fully foldable for easy transport and storage, it is possible to move it with just one hand.


INCA

Colour - structure	grey
Colour - upholstery	black
Front wheels - pneumatic	Ø175mm
Back wheels - pneumatic	Ø200mm
Lithium batteries	10AH
Motor	180W
Autonomy	15km*
Maximum speed forward	6km/h*
Maximum reverse speed	3km/h*

MEASUREMENTS

in cm/kg- tolerance +/-1

INCA	66	38	86	51	41	100	42	12°	115	115	26,6
------	----	----	----	----	----	-----	----	-----	-----	-----	------



INCA PLUS



51 CD EL IP 43 AP
INCA PLUS Litium Suspension

The new electric chair INCA PLUS offers an attractive design. Extremely compact and lightweight. Seat cushion and back lined with breathable 3D fabric. Lower support for placement of belongings. Motors and batteries built into the leg structure. Lithium batteries (24V/10Ah) are characterized by lightness and durability. It is suitable for use in doors and narrow sidewalks. Fully foldable for easy transport and storage, it is possible to move it with just one hand. 300mm back wheels and front ones 175mm with suspension. Includes anti tipping wheels.

INCA PLUS

Colour - structure	grey
Colour - upholstery	black
Front wheels - pneumatic	Ø175mm
Back wheels - pneumatic	Ø300mm
Lithium batteries	12AH
Motor	250W
Autonomy	15km*
Maximum speed forward	6km/h*
Maximum reverse speed	3km/h*

MEASUREMENTS

in cm/kg- tolerance +/-1

INCA PLUS	62	48	94	52	49	110	42	12°	96	150	29,6
-----------	----	----	----	----	----	-----	----	-----	----	-----	------





Vicking, powered wheelchair made of steel, with 2 engines of 180/200W low consumption and electromagnetic brakes. Ensures the right positioning and security of the user with tension backstraps and 3D cover flexible backrest. Rigid seat, adjustable in width (50mm) through the armrest and in depth (400mm to 500mm continuously), with Comfort Seat cushion. Equipped with solid rear wheels Ø300mm and solid front wheels Ø200mm. Height and depth adjustable T shape armrests, with swing-away joystick. Footrests with bilateral opening and depth adjustment. Anti-tipping wheels. Options: manual, pneumatic or electric tilt and backrest recline.



51 CD EL VK 40
VICKING 40

VICKING

Colour - structure	white, grey
Colour - upholstery	black
Available sizes	40/43/46/50cm
Front wheels	Ø200mm
Back wheels	Ø300mm
Rear rims	nylon
Maintenance free AGM batteries	12V 42AH
Batteries charger	24V 5A
Motor	200W/24V
Autonomy	25km*
Maximum speed forward	6km/h*
Maximum reverse speed	3km/h*
Maximum recline	130° (mechanic)/120° (pneumatic/electric)
Tilt	0° - 30°/-5° - 25° (mechanic/(pneumatic/electric))

TECHNICAL CHARACTERISTICS



Joystick



Motor



Anti tipping wheels



Depth adjustable rigid seat




Tensioning backstraps



Adjustable T shape armrests

MEASUREMENTS

In cm/kg - tolerance +/-1



	40	43	46	50	40	43	46	50	40	43	46	50	40	43	46	50	40	43	46	50	40	43	46	50
VICKING 40	40	62	107-122	66-80	47-51	55-70	102-107	76-81	40-45	90°-130°	0°-30°	150	77,5											
VICKING 43	43	62	107-122	66-80	47-51	55-70	102-107	76-81	40-45	90°-130°	0°-30°	150	78,0											
VICKING 46	46	62	107-122	66-80	47-51	55-70	102-107	76-81	40-45	90°-130°	0°-30°	150	78,5											
VICKING 50	50	62	107-122	66-80	47-51	55-70	102-107	76-81	40-45	90°-130°	0°-30°	150	79,0											

VICKING ADVANCE



51 CD EL VK 40 50

VICKING ADVANCE M Tilt Electr; MODULAR seating

Vicking ADVANCE, electric wheelchair made of steel, with 2 engines of 180/200W low consumption and electromagnetic brakes. Ensures the right positioning and security of the user with tension back straps and 3D cover flexible backrest. Seating system fully modular with adjustable and separate plates allowing extensive adjustments in width, depth and height. Rigid seat, adjustable in width (400mm to 500mm continuously) and in depth (400mm to 500mm continuously), with Comfort Seat cushion. Equipped with solid rear wheels Ø300mm (option: Ø350mm and 300W engine) and pneumatic front wheels Ø200mm. Height and depth adjustable T shape armrests, with joystick. Footrests with bilateral opening and depth adjustment. Anti-tipping wheels. Height adjustable handles. Options: manual, pneumatic or electric tilt and pneumatic or electric recline.

See accessories and options.

VICKING ADVANCE

Colour - structure	white, grey
Colour - upholstery	black
Available sizes	40/43/46/50cm
Front wheels - pneumatic	Ø200mm
Back wheels - pneumatic	Ø300mm/Ø350mm
Rear rims	nylon
Maintenance free AGM batteries	12V 42AH
Batteries charger	24V 5A
Motor	200W/24V, 300W
Autonomy	25km*
Maximum speed forward	6km/h*
Maximum reverse speed	3km/h*
Maximum recline	130° (mechanic)/120° (pneumatic/electric)
Tilt	0° - 30°/-5° - 25° (mechanic/(pneumatic/electric))



Adjust. backrest with tensioning back straps




Adjustable rigid seat



Anti tipping wheels

MEASUREMENTS

in cm/kg - tolerance +/- 1



	40-50	62/64	107-122	66-80	47-51	55-70	102-107	76-81	40-45	90°-130°	0°-30°	150	78,0
VICKING ADVANCE 40	40-50	62/64	107-122	66-80	47-51	55-70	102-107	76-81	40-45	90°-130°	0°-30°	150	78,0
VICKING ADVANCE 43	40-50	62/64	107-122	66-80	47-51	55-70	102-107	76-81	40-45	90°-130°	0°-30°	150	78,5
VICKING ADVANCE 46	40-50	62/64	107-122	66-80	47-51	55-70	102-107	76-81	40-45	90°-130°	0°-30°	150	79,0
VICKING ADVANCE 50	40-50	62/64	107-122	66-80	47-51	55-70	102-107	76-81	40-45	90°-130°	0°-30°	150	79,5

VICKING SUSPENSION



51 CD EL VK SU 40 50

VICKING SUSPENSION M Tilt Electr; MODULAR seating

VICKING SUSPENSION

Colour - structure	white, grey
Colour - upholstery	black
Available sizes	40-50cm
Front wheels - pneumatic	Ø200mm
Back wheels - pneumatic	Ø350mm
Rear rims	nylon
Maintenance free AGM batteries	12V 50AH
Batteries charger	24V 5A
Motor	300W
Autonomy	25km*
Maximum speed forward	8km/h*
Maximum reverse speed	3km/h*
Maximum recline	90° - 130°/96° - 120°
Tilt	0° - 30°/-5° - 25°

VICKING SUSPENSION, powered wheelchair, fully adjustable, designed for outdoor use, with integrated suspension system. It guarantees the correct positioning and security of the user. With right hand control (standard), it can be placed on the left. With tensioning straps and 3D cover. Modular seat composed of rigid plates continuously adjustable in width (from 400 to 500mm) and in depth (from 400 to 500mm), with Comfort Seat 3D cushion. With mechanical recline and electric tilting (other options available). T-armrests adjustable in height and depth, detachable. Footrests with bilateral opening, height and depth adjustment. Pneumatic rear wheels 350mm and front 200mm. Anti-tipping wheels. Batteries AGM 12V 50Ah without maintenance. 300W motors. Maximum speed 8Km/h. Wide range of configuration options and accessories (see order form).

MEASUREMENTS

In cm/kg- tolerance +/-1



VICKING SUSPENSION 43

40-50

62/64

105

70-75

47-51

52

102-107

80

40-50

90°-130°

0°-30°

150

84

SCOOTERS

LIBERTY

Pag 33

ECO

Pag 33

COMPACT DELUXE

Pag 34

EXTRA

Pag 34

XXL

Pag 34

pag 33-34

LIBERTY

LIBERTY, the new mid-range scooter. It combines the flexibility of a detachable and practical scooter, easy for transport, with great benefits for outdoor use also on somewhat uneven floors. With swivel seat and folding armrests for easy access. Front basket in plastic. Delta shape handle anti-fatigue. 225mm wheels. With an electric motor of 250W, it reaches a top speed of 8 km/h. Autonomy for 17,5Km. Easily dismantlable in 4 parts, no tools required. Suitable for those who have some moving difficulties and / or suffer from fatigue, but still don't want to use the typical wheelchair. It promotes the autonomy of the user, for example, to go to the supermarket, to walk or visit friends.

LIBERTY

Maximum speed

8km/h

Capacity

135kg

Dimensions

112x60x87cm

Electric motor

200W

Lithium batteries

2x12V 22AH

Autonomy

17,5km*

Lightweight folding seat

46cm

Colour

blue, red



51 CD SC LI .03

Scooter LIBERTY - Elect which w/manual steering (Blue Grey)

ECO

ECO electric scooter with manual controls. With light and swivel seat with 46cm and folding armrest. 230mm wheels. Front basket. With an electric motor of 450W, it reaches a top speed of 8 km/h. Autonomy for approximately 20 km. Includes front light. Suitable for those who have some moving difficulties and / or suffer from fatigue, but still don't want to use the typical wheelchair. It promotes the autonomy of the user, for example, to go to the supermarket, to walk or visit friends.

ECO

Maximum speed

8km/h

Capacity

135kg

Dimensions

116x55x87cm

Electric motor

450W

Lithium batteries

2x12V 35AH

Autonomy

20km*

Lightweight folding seat

46cm

Colour

blue, red



51 CD SC EC .03

Scooter ECO Plus - Elect which w/manual steering (Blue Grey)

COMPACT DELUXE



51 CD SC CD .06
Scooter COMPACT DELUXE (Burgundy)

COMPACT DELUXE electric scooter with manual controls. With light and swivel luxury seat with 46cm and folding armrest. Delta shape handle anti-fatigue. 290mm wheels. Front basket . 700W motor, it reaches a top speed of 12 km/h. Autonomy for approximately 40 km. Includes front lights and mirror. Suitable for those who have some moving difficulties and / or suffer from fatigue, but still don't want to use the typical wheelchair.

COMPACT DELUXE

Maximum speed	8km/h
Capacity	160kg
Dimensions	134x62x100cm
Electric motor	500W
Lithium batteries	2x12V 45AH
Autonomy	40km*
Ajustable and reclining luxury seat	48cm
Colour	blue, red
Rear suspension coil over; Delta handle	

EXTRA



51 CD SC EX .06
Scooter EXTRA (Burgundy)

EXTRA electric scooter with manual controls. With light and swivel luxury seat with 46cm and folding armrest. Delta shape handle anti-fatigue. 320mm back wheels and 290mm front wheels. Front basket . 700W motor, it reaches a top speed of 12 km/h. Autonomy for approximately 40 km. Includes front lights and mirror. Suitable for those who have some moving difficulties and / or suffer from fatigue, but still don't want to use the typical wheelchair.

EXTRA

Maximum speed	12km/h
Capacity	180kg
Dimensions	139x67,5x102,4cm
Electric motor	700W
Lithium batteries	2x12V 45AH
Autonomy	40km*
Ajustable and reclining luxury seat	48cm
Colour	blue, red
Front and rear suspension; Anti-fatigue delta handle; Speed limiter and handbrake	

XXL



51 CD SC XXL .03
Scooter XXL (Blue grey)

XXL electric scooter with manual controls. With adjustable, reclining and swivel luxury seat with 46cm and folding armrest. 380mm wheels. Delta shape handle anti-fatigue. Front and back suspension . 800W motor, it reaches a top speed of 15 km/h. Autonomy for approximately 40 km. Includes lights and mirror. Suitable for those who have some moving difficulties and / or suffer from fatigue, but still don't want to use the typical wheelchair.

XXL

Maximum speed	15km/h
Capacity	226kg
Dimensions	163x76x103cm
Electric motor	800W 4300rpm
Lithium batteries	2x12V 80/100AH
Autonomy	50km*
Ajustable and reclining luxury seat	46cm
Colour	blue, red
Front and rear suspension; Delta handle	

MAIA

Pag 36

PLANE

Pag 36

AUXILIARY MOTOR

Pag 37

pag 36-37



MAIA



MAIA, wheelchair with innovative design, designed specifically for institutional use. Easy storage, without having to close the chair, for convenience and speed. With rigid steel frame, without detachable components and reinforced structure for users up to 180Kg. Folding armrests, with wide support surface for comfort. Seat with ergonomic inclination of 10°. Removable with a zipper, easily washable upholstery very resistant in net type. Polyester seat available in different colors. Ergonomic handles. Footrests metallic, with unique non-slip base. Rear wheels of 600mm (option: wheels 300mm). Solid 150mm front wheels, rotating 360°. Optional components: flag with institution ID, coin dispenser system, oxygen bottle holder, serum holder, seat belt and interchangeable upholstery. Recommended for use not only in hospitals and clinics, but also for use in shopping centers, airports and car parks.

MAIA

Colour - structure	black
Colour - upholstery	orange, green
Front wheels - solid	Ø150mm
Back wheels - pneumatic	Ø600mm/Ø300mm

51 CD IZ 2 NO L BX

MAIA Wheelchair

MEASUREMENTS

in cm/kg- tolerance +/-1

MAIA	43	68	105	72	53	45	105	84	46	180	13,9
MAIA AE	43	65	105	72	53	45	95	71	46	180	12,4

PLANE



Wheelchair for airplane cabin with steel structure epoxy coated metallic grey. Height adjustable headrest and foldable armrests. Upholstery with high density coating, washable and disinfected. Central brake and security seat belts. The top handles are foldable and the bottom are collapsible. With 4 solid Ø200mm wheels and 2 small castors. Maximum user's weight up to 180kg.

PLANE

Colour - structure	grey
Colour - upholstery	black
Front wheels	Ø200mm
Back wheels	Ø200mm

51 CD CA 2 DD

Plane cabin wheelchair grey wheels 200x30

MEASUREMENTS

in cm/kg- tolerance +/-1

AVIÓN	31	43	94	69	43	45	80	35	180	20
-------	----	----	----	----	----	----	----	----	-----	----



51 MT AU
Auxiliary motor

AUXILIARY MOTOR

Colour - structure	grey
Colour - upholstery	black
Front wheels - solid	Ø150mm
Back wheels - pneumatic	Ø560mm
Maximum user weight	100kg
Total weight	15kg

PowerStroll kit is a motorized system designed to incorporate in manual wheelchairs and transform them into power chairs. With Powerstroll, the assistant makes no effort to push the wheelchair.

The engine is placed in the back of the chair and has a control command to place on the handle of the wheelchair to operate the engine. Allows to change the direction (forward and reverse) by a button on the battery holder and the speed control via a rotary knob on the remote. It has a battery level indicator so you know when to charge the batteries and power never fails to go beyond.

Easy installation, compatible with a wide variety of wheelchairs with rear wheels 300 mm and 600 mm. With a convenient transport bag.

Available in two models:

Auxiliar Motor - 150W

Auxiliar Motor Plus - 200W



Transport bag



Control command



PowerStroll



Battery level indicator

INTERIOR WHEELCHAIRS

COMMODE

Pag 39

COMFORT LIGHT

Pag 39

ANDALUS FIX

Pag 40

ANDALUS FOLDABLE

Pag 40

ANDALUS RECLINE

Pag 41

COMFORT PLUS

Pag 42

pag 39-42

COMMODE

COMMODE COMPACT, indoor chair with sanitary seat with lid. Padded PVC seat. Structure adjustable in height in 7 positions. With fixed arms. Specially designed to provide a comfortable seat and simultaneously assist people with reduced mobility in meeting the physiological needs, avoiding trips to the bathroom, especially at night.



51 CD IN 4 CO FX
COMMODE Fixed

COMMODE

Colour - structure

blue

Colour - upholstery

blue PVC

MEASUREMENTS

in cm/kg- tolerance +/-1

COMMODE	56	83-94,5	41	52	42,5	44	100	8
---------	----	---------	----	----	------	----	-----	---

COMFORT LIGHT

COMFORT LIGHT, indoor chair with fixed structure in champagne anodized aluminium. With anatomical sanitary seat, it guarantees the user an easy and practical way of having an indoor chair with an integrated WC functionality. The seat width 46cm standardizes almost all of the needs. Available without castors, with height adjustment; or model with castors, being 2 with brake, without adjustment in height. This chair allows to assist people with reduced mobility in the accomplishment of the physiological needs, avoiding to go to the bathroom, especially at night.



51 CD IN W AL 46 ZZ
Without castors

51 CD IN W AL 46 RR
COMFORTLIGHT Fixed champagne 4 46 150mm

COMFORT LIGHT

Colour - structure

anodized champagne

Seat

anatomic sanitary

Model

height adjustable without castors

Model

with 4 castors (2 with brake)

MEASUREMENTS

in cm/kg- tolerance +/-1

COMFORT LIGHT HEIGHT ADJUSTABLE	46	54	89/99	70/80	52-62	44	58	49	100	7
COMFORT LIGHT 4 CASTORS	46	54	93	74	56	44	59	49	100	7,8

ANDALUS FIX



ANDALUS FIX, with a steel structure and anatomic sanitary seat. ANDALUS joins 4 functions in one: the comfort of an interior chair that allows the sanitary use, directly or in the WC and maintains user's comfort. 46cm width thermomolding soft seat and detachable feet rest with side opening and height adjustable.

ANDALUS FIX

Colour - structure
grey
Weight without removable parts
8,8


51 CD IN 2 FE 46 RR FX

ANDALUS Fix 46-4 Castors

MEASUREMENTS

in cm/kg- tolerance +/-1

ANDALUS FIX



ANDALUS FOLDABLE



With a steel structure, anatomic seat and four Ø100mm castors, ANDALUS joins 4 functions in one: the comfort of an interior chair that allows the sanitary use, directly or in the WC and it is foldable to ease its transport. 46cm width thermomolding soft seat. Removable and height adjustable footrest. and detachable and height adjustable feet rest.

ANDALUS FOLDABLE

Colour - structure
grey
Weight without removable parts
9,4




51 CD IN 2 FE 46 RR

ANDALUS Foldable 46-4 Castors

MEASUREMENTS

in cm/kg- tolerance +/-1

ANDALUS FOLDABLE



ANDALUS RECLINE

ANDALUS RECLINE, steel structure and 46cm width thermomolding soft seat. Padded rigid backrest viscoelastic foam sky cover, very comfortable and easy to clean. 120° mechanical recline. Height adjustable armrests. Side opening footrests. Ø100mm front wheels and rear casters. Also available model with Ø300mm back wheels.



51 CD IN 2 FE 46 RR AN
ANDALUS recline 46-4 castors

ANDALUS RECLINE

Colour - structure

grey

Castors 4

100mm

Weight without removable parts

12,2kg

TECHNICAL CHARACTERISTICS



Armrests



Easy storage



Recline 120°



Without recline

MEASUREMENTS

in cm/kg- tolerance +/-1

ANDALUS RECLINE 100mm

ANDALUS RECLINE 300mm



46	57	116-121	69-74	52	46	92	68	44	120°	100	19,6
46	63	116-121	69-74	52	46	92	68	44	120°	100	22,6

COMFORT PLUS



COMFORT PLUS, interior chair with steel frame and anatomical sanitary seat. It combines the advantages of a bed chair and a sanitary chair with possibility of direct use in the toilet. Provides high comfort, with anatomical sanitary seat, backrest viscoelastic foam sky cover and padded headrest adjustable in height and depth. It allows the recline backrest and the elevation of the footrests to the same level of the seat. Detachable armrests for easy transfers. With 600mm rear wheel with quick release and 125mm front wheels.



51 CD IN 2 CP 46 ED
COMFORT PLUS Recline 46

TECHNICAL CHARACTERISTICS



Adjustable armrests



Headrest



Elevating footrests



Bucket




Brake

COMFORT PLUS

Colour - structure	grey
Colour - upholstery	black
Front wheels - solid	Ø200mm
Back wheels - pneumatic	Ø600mm/Ø300mm
Castors 2	50mm
Rear rims	spokes
Weight without removable parts	9,4kg

MEASUREMENTS

in cm/kg- tolerance +/-1



COMFORT PLUS 46 300mm	46	63	116-145	61-71	52	46	109-141	82	44	120°	100	20
COMFORT PLUS 46 600mm	46	62	116-145	61-71	52	46	117-149	90	44	120°	100	18

ROBUSTNESS



MODULARITY



CUSTOMIZATION

*Orthos Mobility's
products last
a life time,
integrated solutions
and custom-made
manufacture...*

ORTHOS XXI
Rua de Santa Leocádia | 4809-012 Santa Leocádia de Briteiros
Guimarães | Portugal
Mobile +351 936 199 005
Phone: (+351) 253 470 637/276/270
E-mail: sofia.martins@orthosxxi.com
margarida.silva@orthosxxi.com
Fax: (+351) 253 470 278
info@orthosxxi.com

www.orthosxxi.com

by

ORTHOS
XXI
e u r o p e a n
i n c l u s i v e s o l u t i o n s