

Printing date 02.10.2019 Version number 1910 Revision: 02.10.2019

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: MANNOL 6117 Cockpit-Reiniger New-Car (Activ Foam) 650ml
- 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

- · Application of the substance / the mixture Cleaning agent/ Cleaner
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

SCT-Vertriebs GmbH Feldstrasse 154 22880 WEDEL

DEUTSCHLAND info@sct-germany.de

- · Further information obtainable from: Product safety department.
- 1.4 Emergency telephone number: Giftinformationszentrum-Nord +49-551-19240

#### **SECTION 2: Hazards identification**

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



GHS02 flame

Aerosol 1 H222-H229 Extremely flammable aerosol. Pressurised container: May burst if heated.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms



GHS02

- · Signal word Danger
- Hazard statements

H222-H229 Extremely flammable aerosol. Pressurised container: May burst if heated.

H412 Harmful to aquatic life with long lasting effects.

· Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read label before use.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P211 Do not spray on an open flame or other ignition source.

P251 Do not pierce or burn, even after use.

P273 Avoid release to the environment.

(Contd. on page 2)



Printing date 02.10.2019 Version number 1910 Revision: 02.10.2019

Trade name: MANNOL 6117 Cockpit-Reiniger New-Car (Activ Foam) 650ml

(Contd. of page 1)

P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable. · **vPvB:** Not applicable.

### **SECTION 3: Composition/information on ingredients**

- · 3.2 Mixtures
- · **Description:** Mixture of substances listed below with nonhazardous additions.

· Dangerous compon	ents:	
CAS: 106-97-8	butane	10–21%
EINECS: 203-448-7	Flam. Gas 1, H220; Press. Gas C, H280	
CAS: 74-98-6	propane	1–8%
EINECS: 200-827-9	Flam. Gas 1, H220; Press. Gas C, H280	*******
CAS: 64742-47-8	Distillates (petroleum), hydrotreated light	1–3.5%
EINECS: 265-149-8	Flam. Liq. 3, H226; Asp. Tox. 1, H304	
CAS: 14409-72-4	26-(4-nonylphenoxy)-3,6,9,12,15,18,21,24-Octaoxahexacosan-1-ol	1–3%
EC number: 604-395-	Aquatic Chronic 2, H411; Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2, H319	
CAS: 67-63-0	propan-2-ol	1–2%
EINECS: 200-661-7	Flam. Liq. 2, H225; Eye Irrit. 2, H319; STOT SE 3, H336	
CAS: 532-32-1	sodium benzoate	0–1.5%
EINECS: 208-534-8	Eye Irrit. 2, H319	
CAS: 111-76-2	2-butoxyethanol	0–1.5%
EINECS: 203-905-0	Acute Tox. 4, H302; Acute Tox. 4, H312; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319	
· Not dangerous subs	tances	
CAS: 9006-65-9	Dimethicone	5–10%
CAS: 68603-42-9	coconut oil diethanolamine condensate	1–4%
CAS: 1338-43-8	Sorbitan oleate	1–2%
EINECS: 215-665-4		
	aphtha (petroleum), hydrotreated heavy	
EINECS: 265-150-3	Asp. Tox. 1, H304	
CAS: 127-51-5	alpha-iso-Methylionone	0-0.05%
EINECS: 204-846-3	quatic Chronic 2, H411; Skin Irrit. 2, H315; Skin Sens. 1, H317	
	i-(2-ethylhexyl) adipate	
EINECS: 203-090-1		
	oleic acid, pure	0-0.05%
EINECS: 204-007-1	Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335	
	water, distilled, conductivity or of similar purity	
EINECS: 204-007-1 Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335		0–0.05% 35–43%

·SVHC

14409-72-4 26-(4-nonylphenoxy)-3,6,9,12,15,18,21,24-Octaoxahexacosan-1-ol

(Contd. on page 3)



Printing date 02.10.2019 Version number 1910 Revision: 02.10.2019

Trade name: MANNOL 6117 Cockpit-Reiniger New-Car (Activ Foam) 650ml

(Contd. of page 2)

· Additional information: For the wording of the listed hazard phrases refer to section 16.

#### **SECTION 4: First aid measures**

- · 4.1 Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- · 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

### **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:

CO2. Do not use water.

Use fire extinguishing methods suitable to surrounding conditions.

Foam

Fire-extinguishing powder

Sand

- · For safety reasons unsuitable extinguishing agents: Water
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.
- **Additional information**

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

#### **SECTION 6: Accidental release measures**

6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Particular danger of slipping on leaked/spilled product.

Wear protective clothing.

6.2 Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

6.3 Methods and material for containment and cleaning up:

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

(Contd. on page 4)



Printing date 02.10.2019 Version number 1910 Revision: 02.10.2019

Trade name: MANNOL 6117 Cockpit-Reiniger New-Car (Activ Foam) 650ml

(Contd. of page 3)

See Section 13 for disposal information.

### **SECTION 7: Handling and storage**

- · 7.1 Precautions for safe handling No special precautions are necessary if used correctly.
- Information about fire and explosion protection: Keep ignition sources away Do not smoke.
- · 7.2 Conditions for safe storage, including any incompatibilities
- Storage:
- · Requirements to be met by storerooms and receptacles:
- Observe official regulations on storing packagings with pressurised containers.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep container tightly sealed.
- · 7.3 Specific end use(s) No further relevant information available.

#### **SECTION 8: Exposure controls/personal protection**

- · Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters

· Ingredients with	limit values th	nat require	monitoring at	the workplace:

#### 106-97-8 butane (21.0%)

WEL	Short-term value: 1810 mg/m³, 750 ppm
	Long-term value: 1450 mg/m³, 600 ppm
	Carc (if more than 0.1% of buta-1.3-diene)

#### 67-63-0 propan-2-ol (2.0%)

WEL	Short-term value: 1250 mg/m³, 500 ppm
	Long-term value: 999 mg/m³, 400 ppm

#### 111-76-2 2-butoxyethanol (1.5%)

WEL	Short-term value: 246 mg/m³, 50 ppm
	Long-term value: 123 mg/m³, 25 ppm

Sk, BMGV

#### · Ingredients with biological limit values:

#### 111-76-2 2-butoxyethanol (1.5%)

BMGV 240 mmol/mol creatinine

Medium: urine

Sampling time: post shift Parameter: butoxyacetic acid

- Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures: Wash hands before breaks and at the end of work.
- · Respiratory protection: Not required.
- · Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

(Contd. on page 5)



Printing date 02.10.2019 Version number 1910 Revision: 02.10.2019

Trade name: MANNOL 6117 Cockpit-Reiniger New-Car (Activ Foam) 650ml

(Contd. of page 4)

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

#### Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

#### Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Not required.

SECTION 9: Phy	sical and chemical	properties
----------------	--------------------	------------

SECTION 9: Physical and chemical properties		
· 9.1 Information on basic physical and of General Information	chemical properties	
· Appearance:		
Form:	Liquid	
Colour:	White	
· Odour:	Characteristic	
· Odour threshold:	Not determined.	
· pH-value:	Not determined.	
· Change in condition		
Melting point/freezing point:	Undetermined.	
Initial boiling point and boiling range	: Not applicable, as aerosol.	
· Flash point:	Not applicable, as aerosol.	
· Flammability (solid, gas):	Not applicable.	
· Decomposition temperature:	Not determined.	
· Auto-ignition temperature:	Product is not selfigniting.	
· Explosive properties:	Not determined.	
· Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
· Vapour pressure:	Not determined.	
· Density:	Not determined.	
Relative density	Not determined.	
· Vapour density	Not determined.	
· Evaporation rate	Not applicable.	
· Solubility in / Miscibility with		
water:	Not miscible or difficult to mix.	
Partition coefficient: n-octanol/water:	Not determined.	
· Viscosity:		
Dynamic:	Not determined.	



Revision: 02.10.2019 Printing date 02.10.2019 Version number 1910

Trade name: MANNOL 6117 Cockpit-Reiniger New-Car (Activ Foam) 650ml

	(Conto	i. of page 5)
Kinematic:	Not determined.	
· Solvent content:		
Organic solvents:	12–32.5 %	
Water:	35–43 %	
VOC (EC)	12–32.5 %	
· 9.2 Other information	No further relevant information available.	

### **SECTION 10: Stability and reactivity**

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products:

Carbon monoxide

Aldehyde

Poisonous gases/vapours

Carbon dioxide

### **SECTION 11: Toxicological information**

- 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50	LD/LC50 values relevant for classification:		
ATE (Acu	te Toxicity	/ Estimates)	
Oral	LD50	14,258–50,000 mg/kg	
106-97-8 I	butane		
Inhalative	LC50/4 h	658 mg/l (rat)	
67-63-0 pi	ropan-2-o		
Oral	LD50	5,045 mg/kg (rat)	
Dermal	LD50	12,800 mg/kg (rabbit)	
Inhalative	LC50/4 h	30 mg/l (rat)	
111-76-2	2-butoxye	thanol	
Oral	LD50	1,480 mg/kg (rat)	
Dermal	LD50	400 mg/kg (rab)	
532-32-1	sodium be	nzoate	
Oral	LD50	4,070 mg/kg (rat)	
. Drimon, i		_1-	

- · Primary irritant effect:
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

(Contd. on page 7)



Printing date 02.10.2019 Version number 1910 Revision: 02.10.2019

Trade name: MANNOL 6117 Cockpit-Reiniger New-Car (Activ Foam) 650ml

(Contd. of page 6)

- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

### **SECTION 12: Ecological information**

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · Ecotoxical effects:
- · Remark: Harmful to fish
- · Additional ecological information:
- · General notes:

Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water Do not allow product to reach ground water, water course or sewage system, even in small quantities. Danger to drinking water if even extremely small quantities leak into the ground. Harmful to aquatic organisms

- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- vPvB: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

#### **SECTION 13: Disposal considerations**

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· Europ	ean waste catalogue
HP3	Flammable

HP14 Ecotoxic

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

### **SECTION 14: Transport information**

· 14	.1	UN	-Nu	mber
------	----	----	-----	------

· ADR, IMDG, IATA UN1950

14.2 UN proper shipping name

· ADR 1950 AEROSOLS AEROSOLS

(Contd. on page 8)



Printing date 02.10.2019 Version number 1910 Revision: 02.10.2019

Trade name: MANNOL 6117 Cockpit-Reiniger New-Car (Activ Foam) 650ml

	(Contd. of page
IATA	AEROSOLS, flammable
14.3 Transport hazard class(es)	
ADR	
<u>~</u>	
2	
Class	2 5F Gases.
Label	2.1
IMDG, IATA	
2	
Class	2.1
Label	2.1
14.4 Packing group	
ADR, IMDG, IATA	not regulated
14.5 Environmental hazards:	Not applicable.
14.6 Special precautions for user	Warning: Gases.
Danger code (Kemler): EMS Number:	- F-D,S-U
Stowage Code	SW1 Protected from sources of heat.
•	SW2 Clear of living quarters.
Segregation Code	SG69 For AEROSOLS with a maximum capacity
	1 litre: Segregation as for class 9. Stow "separated fron
	class 1 except for division 1.4.
	For AEROSOLS with a capacity above 1 litre:
	Segregation as for the appropriate subdivision class 2.
	For WASTE AEROSOLS:
	Segregation as for the appropriate subdivision
	class 2.
14.7 Transport in bulk according to Ani Marpol and the IBC Code	nex II of  Not applicable.
Transport/Additional information:	Hot applicable.
-	
ADR Limited quantities (LQ)	1L
Excepted quantities (EQ)	Code: E0
_	Not permitted as Excepted Quantity
Transport category Tunnel restriction code	2
runner restriction code	D



Printing date 02.10.2019 Version number 1910 Revision: 02.10.2019

Trade name: MANNOL 6117 Cockpit-Reiniger New-Car (Activ Foam) 650ml

(Contd. of page 8)

· IMDG

· Limited quantities (LQ)

Excepted quantities (EQ)

1L Code: E0

Code: E0

Not permitted as Excepted Quantity

· UN "Model Regulation": UN 1950 AEROSOLS, 2.1

### **SECTION 15: Regulatory information**

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category P3a FLAMMABLE AEROSOLS
- · Qualifying quantity (tonnes) for the application of lower-tier requirements 150 t
- Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t
- · LIST OF SUBSTANCES SUBJECT TO AUTHORISATION (ANNEX XIV)

14409-72-4 | 26-(4-nonylphenoxy)-3,6,9,12,15,18,21,24-Octaoxahexacosan- | Sunset date: 2021-01-04 | 1-ol

- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- · National regulations:
- · Other regulations, limitations and prohibitive regulations
- Substances of very high concern (SVHC) according to REACH, Article 57

14409-72-4 26-(4-nonylphenoxy)-3,6,9,12,15,18,21,24-Octaoxahexacosan-1-ol

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Relevant phrases

H220 Extremely flammable gas.

H225 Highly flammable liquid and vapour.

H226 Flammable liquid and vapour.

H280 Contains gas under pressure; may explode if heated.

H302 Harmful if swallowed.

H304 May be fatal if swallowed and enters airways.

H312 Harmful in contact with skin.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H335 May cause respiratory irritation.

H336 May cause drowsiness or dizziness.

H411 Toxic to aquatic life with long lasting effects.

· Department issuing SDS: Product safety department.

(Contd. on page 10)

Page 10/10



## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 02.10.2019 Version number 1910 Revision: 02.10.2019

Trade name: MANNOL 6117 Cockpit-Reiniger New-Car (Activ Foam) 650ml

(Contd. of page 9)

#### · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern vPvB: very Persistent and very Bioaccumulative Flam. Gas 1: Flammable gases – Category 1

Aerosol 1: Aerosols - Category 1

Press. Gas C: Gases under pressure - Compressed gas

Flam. Liq. 2: Flammable liquids – Category 2 Flam. Liq. 3: Flammable liquids – Category 3 Acute Tox. 4: Acute toxicity – Category 4

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

STOT SE 3: Specific target organ toxicity (single exposure) - Category 3

Asp. Tox. 1: Aspiration hazard - Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3

\* Data compared to the previous version altered.

GB